

C A T A L O G U E

BATHROOM

MIXERS



Bathroom mixers

LAVEO TRENDY HOME DESIGN

Seria Pola


bath mixer
wall-mounted, without shower set



FINISH: CHROME
CODE: BAP_010D
EAN: 5907791146311






FINISH: BLACK
CODE: BAP_710D
EAN: 5907791164612



FINISH: ROSE GOLD
CODE: BAP_810D
EAN: 5907791164681



FINISH: GOLD
CODE: BAP_G10D
EAN: 5907791173669



POLA
mixer

POLA
washbasin



EASY
CLEANING
(CHROME)

material: brass

spout reach: 179 mm

ceramic cartridge: 30 mm

flow class: spout A ≤ 15 l/min, hand shower A ≤ 15 l/min

included: key for aerator, mounting elements

bath mixer
for concealed, installation with shower set

NEW NEW NEW NEW NEW NEW NEW NEW



FINISH: CHROME
CODE: BAP_011P
EAN: 5907791182944




FINISH: BLACK
CODE: BAP_711P
EAN: 5907791182951



FINISH: ROSE GOLD
CODE: BAP_811P
EAN: 5907791182968



FINISH: GOLD
CODE: BAP_G11P
EAN: 5907791182975



- CERAMIC SHOWER SWITCH
- RAIN STREAM
- ANTI-CALC SYSTEM
- ANTI-TWIST SYSTEM
- EASY CLEANING (CHROME)
- BOX

material: brass, plastic

spout reach: 188 mm

ceramic cartridge: 35 mm

flow class: spout S ≤ 19.8 l/min, hand shower A ≤ 15 l/min

type of hose: metal braided rubber

length of hose: 1500mm

included: shower set, concealed box, elements for surface-mounting and concealed installation

bath mixer
free-standing

NEW NEW NEW NEW NEW NEW NEW NEW



FINISH: CHROME
CODE: BAP_011S
EAN: 5907791183255



FINISH: BLACK
CODE: BAP_711S
EAN: 5907791183262



FINISH: ROSE GOLD
CODE: BAP_811S
EAN: 5907791183279



FINISH: GOLD
CODE: BAP_G11S
EAN: 5907791183286



- CERAMIC SHOWER SWITCH
- RAIN STREAM
- ANTI-CALC SYSTEM
- ANTI-TWIST SYSTEM
- EASY CLEANING (CHROME)
- BOX

material: brass, plastic

spout reach: 205 mm


ceramic cartridge: 35 mm

flow class: spout A ≤ 15 l/min, hand shower Z ≤ 9 l/min

type of hose: metal braided rubber

length of hose: 1500 mm

included: shower set, concealed box, elements for surface-mounting and concealed installation





bath mixer
3-hole

NEW NEW NEW
NEW NEW NEW
NEW NEW NEW



FINISH: CHROME
CODE: BAP_013D
EAN: 5907791188434



FINISH: BLACK
CODE: BAP_713D
EAN: 5907791188441



FINISH: ROSE GOLD
CODE: BAP_813D
EAN: 5907791188465



FINISH: GOLD
CODE: BAP_G13D
EAN: 5907791188458



material: brass, plastic

spout reach: 205 mm


ceramic cartridge: 35 mm

flow class: spout S ≤ 19,8 l/min, hand shower Z ≤ 9 l/min

type of hose: metal braided rubber

length of hose: 1500 mm

included: shower set, key for aerator, connecting hoses 50 cm, mounting elements



washbasin mixer
for concealed installation with plug




FINISH: CHROME
CODE: BAP_022P
EAN: 5907791171894



FINISH: BLACK
CODE: BAP_722P
EAN: 5907791171900



FINISH: ROSE GOLD
CODE: BAP_822P
EAN: 5907791171917



FINISH: GOLD
CODE: BAP_G22P
EAN: 5907791173683




material: brass

spout reach: 189 mm

ceramic cartridge: 35 mm

flow class: A ≤ 15 l/min

included: click-clack plug, concealed box, elements for surface-mounting and concealed installation




washbasin mixer
upright, with plug



FINISH: CHROME
CODE: BAP_022D
EAN: 5907791146328




FINISH: BLACK
CODE: BAP_722D
EAN: 5907791164629



FINISH: ROSE GOLD
CODE: BAP_822D
EAN: 5907791164698



FINISH: GOLD
CODE: BAP_G22D
EAN: 5907791173676




material: brass

spout reach: 125 mm

ceramic cartridge: 25 mm

flow class: $Z \leq 9$ l/min

included: click-clack plug, key for aerator, connecting hoses 40 cm, easy assembly system




washbasin mixer
upright, countertop, with plug



FINISH: CHROME
CODE: BAP_02ND
EAN: 5907791146335



FINISH: BLACK
CODE: BAP_72ND
EAN: 5907791164636



FINISH: ROSE GOLD
CODE: BAP_82ND
EAN: 5907791164704



FINISH: GOLD
CODE: BAP_G2ND
EAN: 5907791169259



material: brass

spout reach: 165 mm


ceramic cartridge: 25 mm

flow class: $Z \leq 9$ l/min

included: click-clack plug, key for aerator, connecting hoses 40 cm, easy assembly system



Mixer is fitted with movable NEOPERL aerator to aerate water stream. Water stream angle adjustment allows to adapt a mixer to a washbasin, thus to set a preferred stream reach.





Did you know that...

Major part of room plants origins from the tropical areas of humidity. Therefore for their correct growth they require systematic spraying. A suggestion to self-taught gardeners – the best hand shower to spray the plants is the one with water spray stream. Though, good water quality at home is a must.



bidet mixer


for concealed installation, with bidetta shower set



FINISH: CHROME
 CODE: BAP_031P
 EAN: 5907791187536

FINISH: BLACK
 CODE: BAP_731P
 EAN: 5907791187543

FINISH: ROSE GOLD
 CODE: BAP_831P
 EAN: 5907791187550



FINISH: GOLD
 CODE: BAP_G31P
 EAN: 5907791187567



material: brass, steel

ceramic cartridge: 25 mm

flow class: $Z \leq 9$ l/min

type of hose: metal braided rubber

length of hose: 1500 mm

included: shower set, elements for surface-mounting and concealed installation

Water stream is started and stopped with use of push button in hand shower. Comfortable solution for small-sized bathrooms where no space for bidet is available.

upright bidet mixer
with plug


FINISH: CHROME
 CODE: BAP_032D
 EAN: 5907791146342

FINISH: BLACK
 CODE: BAP_732D
 EAN: 5907791164643

FINISH: ROSE GOLD
 CODE: BAP_832D
 EAN: 5907791164711



FINISH: GOLD
 CODE: BAP_G32D
 EAN: 5907791173690




material: brass

spout reach: 117 mm

ceramic cartridge: 25 mm

flow class: $Z \leq 9$ l/min

included: click-clack plug, connecting hoses 40 cm, easy assembly system





Did you know that...

Even in a bathroom in a flat without any window you can grow pot plant. It is important to choose shade species which, for their growth, require a high humidity. Among them are plants which are popular in Poland such as ferns, beautiful flowering Spathiphyllum and Anturium, Cyperus and Codiaeum with lavishing plumes and multi-colour leaves.



LAVEO TRENDY HOME DESIGN

shower mixer
wall-mounted, without shower set



FINISH: CHROME
CODE: BAP_040D
EAN: 5907791146359





FINISH: BLACK
CODE: BAP_740D
EAN: 5907791164650



FINISH: ROSE GOLD
CODE: BAP_840D
EAN: 5907791164728



FINISH: GOLD
CODE: BAP_G40D
EAN: 5907791173706



EASY
CLEANING
(CHROME)

material: brass

ceramic cartridge: 30 mm

flow class: S ≤ 19,8 l/min

included: mounting elements

shower mixer

for concealed installation with shower set



FINISH: CHROME
CODE: BAP_001P
EAN: 5907791146694




FINISH: BLACK
CODE: BAP_701P
EAN: 5907791164605



FINISH: ROSE GOLD
CODE: BAP_801P
EAN: 5907791164674



FINISH: GOLD
CODE: BAP_G01P
EAN: 5907791173652



material: brass, steel, plastic

ceramic cartridge: 35 mm

flow class: overhead rain shower A ≤ 15 l/min,
hand shower A ≤ 15 l/min

type of hose: metal braided rubber

length of hose: 1500 mm

overhead rain shower size: 200 x 200 mm

included: shower set, concealed box, elements
for surface-mounting and concealed installation




shower column with mixer



FINISH: CHROME
CODE: PLA_00KX
EAN: 5907791174307



FINISH: BLACK
CODE: PLA_70KX
EAN: 5907791174314



FINISH: ROSE GOLD
CODE: PLA_80KX
EAN: 5907791174321



FINISH: GOLD
CODE: PLA_G0KX
EAN: 5907791174338



ADJUSTABLE HEIGHT OF OVERHEAD RAIN SHOWER
RAIN STREAM (OVERHEAD RAIN SHOWER, HAND SHOWER)
ANTI-CALC SYSTEM
ANTI-TWIST SYSTEM

material: brass, steel, plastic

ceramic cartridge: 35 mm


flow class: overhead rain shower $Z \leq 12$ l/min,
hand shower $Z \leq 12$ l/min

type of hose: metal braided rubber

length of hose: 1500 mm

overhead rain shower size: 200x200 mm

included: mounting elements



shower set riser rail



FINISH: CHROME
CODE: NAP_01A1
EAN: 5907791173393



FINISH: BLACK
CODE: NAP_71A1
EAN: 5907791173423



FINISH: ROSE GOLD
CODE: NAP_81A1
EAN: 5907791173454



FINISH: GOLD
CODE: NAP_G1A1
EAN: 5907791173485



LENGTH OF BAR
ADJUSTABLE FITTING SPAN
RAIN STREAM (HAND SHOWER)
ANTI-CALC SYSTEM
ANTI-TWIST SYSTEM


material: steel, plastic

flow class: $Z \leq 12$ l/min

type of hose: metal braided rubber

length of hose: 1500 mm

included: mounting elements



**single-point
shower set**



FINISH: CHROME

KOD: NAP_00AD
EAN: 5907791173386

FINISH: BLACK

KOD: NAP_70AD
EAN: 5907791173416

FINISH: ROSE GOLD

KOD: NAP_80AD
EAN: 5907791173447

FINISH: GOLD

KOD: NAP_G0AD
EAN: 5907791173478

hand shower



FINISH: CHROME

CODE: NAP_0SAD
EAN: 5907791173409

FINISH: BLACK

CODE: NAP_7SAD
EAN: 5907791173430

FINISH: ROSE GOLD

CODE: NAP_8SAD
EAN: 5907791173461

FINISH: GOLD

CODE: NAP_GSAD
EAN: 5907791173492




material: steel, plastic

flow class: $Z \leq 12$ l/min

type of hose: metal braided rubber


length of hose: 1500 mm

included: mounting elements



material: plastic

flow class: $Z \leq 12$ l/min



Pretto series



bath mixer
wall-mounted, without shower set



FINISH: CHROME
CODE: BAO_010D
EAN: 5907791146786





FINISH: BLACK
CODE: BAO_710D
EAN: 5907791146892



FINISH: GRAPHITE
CODE: BAO_910D
EAN: 5907791147004



Built-in hand shower/rain shower function switch in mixer body.



material: brass
spout reach: 199 mm
ceramic cartridge: 30 mm
flow class: spout A ≤ 15 l/min, hand shower A ≤ 15 l/min
included: key for aerator, mounting elements

bath mixer
for concealed installation, with shower set

NEW NEW NEW NEW NEW NEW NEW NEW



FINISH: CHROME
CODE: BAO_011P
EAN: 5907791182913




FINISH: BLACK
CODE: BAO_711P
EAN: 5907791182920





FINISH: GRAPHITE
CODE: BAO_911P
EAN: 5907791182937

Flexible, easy to clean and pleasant to touch silicone shower hose.



material: brass
spout reach: 231 mm
ceramic cartridge: 35 mm
flow class: spout : A ≤ 15 l/min, hand shower Z ≤ 9 l/min
type of hose: silicone coated rubber
length of hose: 1500 mm
included: shower set, concealed box, elements for surface-mounting and concealed installation



Did you know that...

A bath in a bathtub requires about 120-150 L of water, while a short shower about 50 L. Think about the planet and plan long bathing only on special occasions.



bath mixer
free-standing



FINISH: CHROME
CODE: BAO_011S
EAN: 5907791162267

Flexible, easy to clean and pleasant to touch silicone shower hose.




FINISH: BLACK
CODE: BAO_711S
EAN: 5907791162274



FINISH: GRAPHITE
CODE: BAO_911S
EAN: 5907791162281



- material: brass, plastic
- spout reach: 240 mm
- ceramic cartridge: 35 mm
- flow class: spout A ≤ 15 l/min, hand shower A ≤ 15 l/min
- type of hose: silicone coated rubber
- length of hose: 1500 mm
- included: shower set, key for aerator, elements for surface-mounting and concealed installation




bath mixer
4-hole



FINISH: CHROME
KOD: BAO_014D
EAN: 5907791146861




FINISH: BLACK
KOD: BAO_714D
EAN: 5907791146977



FINISH: GRAPHITE
KOD: BAO_914D
EAN: 5907791147080



- material: brass, plastic
- spout reach: 206 mm
- ceramic cartridge: 30 mm
- flow class: spout A ≤ 15 l/min, hand shower A ≤ 15 l/min
- type of hose: chrome shower hose – metal braided rubber
- length of hose: 1500 mm
- included: shower set, key for aerator, connecting hoses 50 cm, mounting elements



Pretto 4-hole bath mixer is designed for upright installation directly on a bathtub or in a shelf covered with tiles. From the right, hand shower is provided, then function switch for switching between hand shower and spout, cold and hot water knob and bath spout. Chrome-plated steel shower hose is concealed under tiles or bathtub, thus it does not need to be put around the mixer. Such solution improves bathroom aesthetics.

mixer

washbasin, for concealed installation, with plug






FINISH: CHROME
 CODE: BAO_022P
 EAN: 5907791162205



FINISH: BLACK
 CODE: BAO_722P
 EAN: 5907791162212



FINISH: GRAPHITE
 CODE: BAO_922P
 EAN: 5907791162229



material: brass

spout reach: 191 mm

ceramic cartridge: 35 mm

flow class: A ≤ 15 l/min

included: click-clack plug, key for aerator, concealed box, elements for surface-mounting and concealed installation

washbasin mixer

upright, with plug



FINISH: CHROME
 CODE: BAO_022D
 EAN: 5907791146793



FINISH: BLACK
 CODE: BAO_722D
 EAN: 5907791146908



FINISH: GRAPHITE
 CODE: BAO_922D
 EAN: 5907791147011



Mixer is fitted with movable NEOPERL aerator to aerate water stream. Water stream angle adjustment allows to adapt a mixer to a washbasin, thus to set a preferred stream reach.




material: brass

spout reach: 135 mm

ceramic cartridge: 25 mm

flow class: Z ≤ 9 l/min

included: click-clack plug, key for aerator, connecting hoses 40 cm, easy assembly system



2xG3/8", L=400

Did you know that...

Due to the fact that the average height of the human population has increased, relevant standards according to which washbasins should be installed, are also changed. You should be able to wash your hands in a washbasin without leaning. Standard height for washbasin installation, according to European standards, is 85-95cm, whereas it is assumed that at this height the upper edge of the bowl, counting from the floor, should be located.



washbasin mixer
upright, with L-shaped spout and plug



FINISH: CHROME
CODE: BAO_025D
EAN: 5907791146816

FINISH: BLACK
CODE: BAO_725D
EAN: 5907791146922

FINISH: GRAPHITE
CODE: BAO_925D
EAN: 5907791147035

washbasin mixer
upright, countertop, with plug




FINISH: CHROME
CODE: BAO_02ND
EAN: 5907791146809

FINISH: BLACK
CODE: BAO_72ND
EAN: 5907791146915


FINISH: GRAPHITE
CODE: BAO_92ND
EAN: 5907791147028




Mixer is fitted with movable NEOPERL aerator to aerate water stream. Water stream angle adjustment allows to adapt a mixer to a washbasin, thus to set a preferred stream reach.




material: brass
spout reach: 177 mm
ceramic cartridge: 25 mm
flow class: Z ≤ 9 l/min
included: click-clack plug, key for aerator, connecting hoses 40 cm, easy assembly system



Mixer is fitted with movable NEOPERL aerator to aerate water stream. Water stream angle adjustment allows to adapt a mixer to a washbasin, thus to set a preferred stream reach.



material: brass
spout reach: 183 mm
ceramic cartridge: 25 mm
flow class: Z ≤ 9 l/min
included: click-clack plug, key for aerator, connecting hoses 40 cm, easy assembly system



bidet mixer

upright, with plug




FINISH: CHROME
CODE: BAO_032D
EAN: 5907791146823



FINISH: BLACK
CODE: BAO_732D
EAN: 5907791146939



FINISH: GRAPHITE
CODE: BAO_932D
EAN: 5907791147042




material: brass

spout reach: 134 mm

ceramic cartridge: 25 mm


flow class: Z ≤ 9 l/min

included: click-clack plug, connecting hoses 40 cm, easy assembly system



shower mixer

wall-mounted, without shower set



FINISH: CHROME
CODE: BAO_040D
EAN: 5907791146830



FINISH: BLACK
CODE: BAO_740D
EAN: 5907791146946



FINISH: GRAPHITE
CODE: BAO_940D
EAN: 5907791147059





EASY
CLEANING
(CHROME)

material: brass

ceramic cartridge: 30 mm


flow class: B ≤ 25,2 l/min

included: mounting elements



shower mixer

wall-mounted, thermostatic, without shower set



FINISH: CHROME

CODE: BAO_04TD
EAN 5907791162236

FINISH: BLACK

CODE: BAO_74TD
EAN: 5907791162243

FINISH: GRAPHITE

CODE: BAO_94TD
EAN: 5907791162250

Mixer fitted with special thermostatic cartridge allows to set an expected water temperature, the same any time the stream is activated. It gives a possibility to set a desired constant water temperature, without a risk of burns. This solution is popular in flats occupied by elderly people and families with small children for safety reasons.



THERMOSTATIC
MIXEREASY
CLEANING
(CHROME)

material: brass

thermostatic cartridge

flow class: A ≤ 15 l/min

included: mounting elements

**shower mixer**

for concealed installation, with shower set



FINISH: CHROME

CODE: BAO_001P
EAN: 5907791146878


FINISH: BLACK

CODE: BAO_701P
EAN: 5907791146984

FINISH: GRAPHITE

CODE: BAO_901P
EAN: 5907791147097

Flexible, easy to clean and pleasant to touch silicone shower hose.



material: brass, steel, plastic

ceramic cartridge: 35 mm


flow class: overhead rain shower A ≤ 15 l/min, hand shower A ≤ 15 l/min

type of hose: silicone coated rubber

length of hose: 1500 mm

overhead rain shower size: Ø250 mm

included: shower set, concealed box, elements for surface-mounting and concealed installation






Did you know that...

To improve condition of skin, its colour, suppleness, it's of great importance to use the so-called alternate shower.

Such bathing should be as follows:

- set hot water (about 38° C) - bathing time about 1 minute.
- set cold water (about 20° C) - bathing time about 30 seconds.
- return to hot water stream.

Each time shower from feet to the head. The whole should not take longer than 10 minutes.



shower mixer

for concealed installation with shower set



FINISH: CHROME

CODE: BAO_004P
EAN: 5907791146885




FINISH: BLACK

CODE: BAO_704P
EAN: 5907791146991

FINISH: GRAPHITE

CODE: BAO_904P
EAN: 5907791147103

Minimalistic design of 4-hole mixer with knobs set in a row. From the right angular connection with hand shower bracket is provided, then cold water knob, function switch for switching between hand shower and overhead rain shower, and hot water knob. Additionally flexible, easy to clean and pleasant to touch silicone shower hose is included.

**material: brass, steel, plastic****ceramic cartridge: 30 mm****flow class: overhead rain shower A ≤ 15 l/min,
hand shower A ≤ 15 l/min****type of hose: silicone coated rubber****length of hose: 1500 mm****overhead rain shower size: Ø250 mm****included: shower set, elements for surface-mounting and
concealed installation****shower column**

with mixer



FINISH: CHROME

CODE: PLP_000B
EAN: 5907791162298


FINISH: BLACK

CODE: PLP_700B
EAN: 5907791162311

FINISH: GRAPHITE

CODE: PLP_100B
EAN: 5907791162304

Shower column with brass wall mountings and hand shower bracket. Shower hose in silicone coating is exceptionally flexible, easy to clean and pleasant to touch. Hand shower is provided with a particularly gentle water spray stream.

**material: brass, steel, plastic****ceramic cartridge: 30 mm****flow class: overhead rain shower S ≤ 20 l/min,
hand shower ZZ ≤ 7,2 l/min****type of hose: silicone coated rubber****length of hose: 1500 mm****overhead rain shower size: Ø250 mm****included: mounting elements**

shower column with thermostatic mixer



FINISH: CHROME
KOD: PLP_00TD
EAN: 5907791162328



FINISH: BLACK
KOD: PLP_70TD
EAN: 5907791162342



FINISH: GRAPHITE
KOD: PLP_10TD
EAN: 5907791162335

Shower column with brass wall mountings and hand shower bracket. Shower hose in silicone coating is exceptionally flexible, easy to clean and pleasant to touch. Hand shower is provided with a particularly gentle water spray stream.

Shower column fitted with a mixer with special thermostatic cartridge allows to set a desired water temperature, the same any time the stream is activated. It gives a possibility to set a desired constant water temperature, without a risk of burns. This solution is popular in flats occupied by elderly people and families with small children for safety reasons.



material: brass, steel, plastic

thermostatic cartridge


flow class: overhead rain shower $S \leq 20$ l/min,
hand shower $ZZ \leq 7,2$ l/min

type of hose: silicone coated rubber

length of hose: 1500 mm

overhead rain shower size: $\varnothing 250$ mm

included: mounting elements



shower column



FINISH: CHROME
CODE: PLP_000X
EAN: 5907791147424



FINISH: BLACK
CODE: PLP_700X
EAN: 5907791147448



FINISH: GRAPHITE
CODE: PLP_100X
EAN: 5907791147431

Shower column with brass wall mountings and hand shower bracket. Shower hose in silicone coating is exceptionally flexible, easy to clean and pleasant to touch. Hand shower is provided with a particularly gentle water spray stream. The column is fitted with elegant button operated function switch for switching between hand shower and overhead rain shower.



material: brass, steel, plastic


flow class: rain shower $Z \leq 12$ l/min, hand shower $ZZ \leq 7,2$ l/min

type of hose: silicone coated rubber

length of hose: 1500 mm

overhead rain shower size: $\varnothing 250$ mm

included: mounting elements



shower set riser rail



FINISH: CHROME
CODE: NLP_01A2
EAN: 5907791147394

FINISH: BLACK
CODE: NLP_71A2
EAN: 5907791147417

FINISH: GRAPHITE
CODE: NLP_11A2
EAN: 5907791147400

shower set single-point




FINISH: CHROME
CODE: NLP_00AD
EAN: 5907791147363

FINISH: BLACK
CODE: NLP_70AD
EAN: 5907791147387

FINISH: GRAPHITE
CODE: NLP_10AD
EAN: 5907791147370



Riser rail shower set with brass wall mountings and hand shower bracket. Shower hose in silicone coating is exceptionally flexible, easy to clean and pleasant to touch. Hand shower is provided with a particularly gentle water spray stream.




material: brass, plastic

flow class: ZZ ≤ 7,2 l/min

type of hose: silicone coated rubber

length of hose: 1500 mm

included: mounting elements



Single-point shower set with brass wall mountings and hand shower bracket. Shower hose in silicone coating is exceptionally flexible, easy to clean and pleasant to touch. Hand shower is provided with a particularly gentle water spray stream.




material: brass, plastic

flow class: ZZ ≤ 7,2 l/min

type of hose: silicone coated rubber

length of hose: 1500 mm

included: mounting elements



hand shower



FINISH: CHROME
CODE: NLP_OSAD
EAN: 5907791147332





FINISH: BLACK
CODE: NLP_7SAD
EAN: 5907791147356



FINISH: GRAPHITE
CODE: NLP_1SAD
EAN: 5907791147349



Hand shower is provided with a particularly gentle and effective water spray stream.



LOW WATER CONSUMPTION (HAND SHOWER) WATER SPRAY STREAM (HAND SHOWER)

material: plastic

flow class: ZZ ≤ 7,2 l/min



Did you know that...

An average Pole does renovation of their bathroom 3 times during their lifetime. While for a part of the Polish people a bathroom is still a luxury. According to the Polish Central Statistical Office (GUS) more than a million of dwellings in Poland have no bathroom.



Did you know that...


In homes where pets live, the best solution for bathrooms is a shower area covered with tiles and fitted with a linear drain. Under a shower prepared in such way, a dog will not slip, and there is no risk of scratching acrylic surface of the bathtub or shower tray with claws when bathing. It's much more comfortable to enter the cabin with a pet rather than lean over the bathtub.



Rubio series

NEW NEW NEW NEW NEW NEW

bath mixer
wall-mounted, without shower set



FINISH: WHITE/GOLD
CODE: BVR_610G
EAN: 5907791185358

FINISH: BLACK/GOLD
CODE: BVR_710G
EAN: 5907791185402



CERAMIC SHOWER SWITCH



COIN SLOT AERATOR

- material: brass

- spout reach: 168 mm

- ceramic cartridge 30 mm

- flow class: spout A ≤ 15 l/min, hand shower A ≤ 15 l/min

- included: mounting elements

washbasin mixer
upright, with plug



FINISH: WHITE/GOLD
CODE: BVR_622G
EAN: 5907791185365

FINISH: BLACK/GOLD
CODE: BVR_722G
EAN: 5907791185419



SAVING WATER



COIN SLOT AERATOR



CLICK-CLACK PLUG



EASY ASSEMBLY

- material: brass

- spout reach: 111 mm

- ceramic cartridge: 25 mm

- flow class: Z ≤ 9 l/min

- included: click-clack plug, connecting hoses 40 cm, easy assembly system

washbasin mixer
upright, countertop, with plug



FINISH: WHITE/GOLD
CODE: BVR_62NG
EAN: 5907791185372

FINISH: BLACK/GOLD
CODE: BVR_72NG
EAN: 5907791185426



SAVING WATER



COIN SLOT AERATOR



CLICK-CLACK PLUG



EASY ASSEMBLY

- material: brass

- spout reach: 166 mm





- ceramic cartridge: 25 mm

- flow class: Z ≤ 9 l/min

- included: click-clack plug, connecting hoses 40 cm, easy assembly system




The mixer is fitted with aerator which can be removed with a coin. Such easy and quick method allows for removal and cleaning of aerator or its replacement.



bidet mixer

upright with plug



FINISH: WHITE/GOLD

CODE: BVR_632G
EAN: 5907791185389

FINISH: BLACK/GOLD

CODE: BVR_732G
EAN: 5907791185433SAVING
WATERCLICK-CLACK
PLUGEASY
ASSEMBLY

material: brass

spout reach: 128 mm

ceramic cartridge: 25 mm

flow class: Z ≤ 9 l/min

included: click-clack plug, connecting hoses 40 cm, easy assembly system

shower mixer

wall-mounted, without shower set



FINISH: WHITE/GOLD

CODE: BVR_640G
EAN: 5907791185396

FINISH: BLACK/GOLD

CODE: BVR_740G
EAN: 5907791185440

material: brass


ceramic cartridge: 30 mm

flow class: B ≤ 25,2 l/min

included: mounting elements

shower column

with mixer



FINISH: WHITE/GOLD

CODE: PVR_6G0B
EAN: 5907791185457

FINISH: BLACK/GOLD

CODE: PVR_7G0B
EAN: 5907791185464

The column is fitted with 3-step switch located behind the mixer lever. The switch allows to easily change water outflow between spout, overhead rain shower and hand shower.



COLD START

ADJUSTABLE
HEIGHT OF
OVERHEAD
RAIN SHOWERRAIN STREAM
(OVERHEAD
RAIN SHOWER,
HAND SHOWER)CASCADE
STREAM
(SPOUT)ANTI-CALC
SYSTEMANTI-TWIST
SYSTEM

material: brass, steel, plastic

ceramic cartridge: 35 mm



flow class: spout S ≤ 20 l/min, rain shower A ≤ 15 l/min, hand shower Z ≤ 12 l/min


type of hose: metal braided rubber

length of hose: 1500 mm

overhead rain shower size: Ø200 mm

included: mounting elements





Did you know that...

Fittings and showers will last longer if limescale is removed on a regular basis. Therefore it is worth using anit-calc system. For thermostatic mixers, once every few months it is recommended to turn the cartridge to the fullest to prevent collection of thick limescale layer.



Did you know that...


When furnishing a bathroom that is also used by children it is worth considering their needs, skills and most of all their height. So for a bathroom used by kids, choose thermostatic mixers with temperature set to a constant value. Mixer taps with movable aerator will be useful, so children can easily reach the water stream. Fittings activated by a photocell enabling automatic water start and stop will be even simpler in use. And finally, banging with a toilet seat... it will cease to be annoying for other household members, if a standard seat is replaced by a soft-close solution.



Pinar series

NEW NEW NEW
NEW NEW NEW
NEW NEW NEW


bath mixer
wall-mounted, without shower set



FINISH: CHROME
CODE: BAW_010D
EAN: 5907791184580




FINISH: BLACK
CODE: BAW_710D
EAN: 5907791184634



material: brass
spout reach: 175 mm
ceramic cartridge: 35 mm
flow class: spout A ≤ 15 l/min, hand shower S ≤ 19,8 l/min
included: key for aerator, mounting elements



Mixer is fitted with movable NEOPERL aerator. Water stream angle adjustment allows to adapt a mixer to a washbasin, thus to set a preferred stream reach.




washbasin mixer
upright, with plug




FINISH: CHROME
CODE: BAW_022D
EAN: 5907791184597



FINISH: BLACK
CODE: BAW_722D
EAN: 5907791184641



material: brass
spout reach: 115 mm
ceramic cartridge: 25 mm
flow class: Z ≤ 9 l/min
included: click-clack plug, key for aerator, connecting hoses 40 cm, easy assembly system




washbasin mixer
upright, countertop, with swivel spout and plug




FINISH: CHROME
CODE: BAW_02ND
EAN: 5907791184603



FINISH: BLACK
CODE: BAW_72ND
EAN: 5907791184658



material: brass
spout reach: 204 mm
ceramic cartridge: 25 mm
flow class: Z ≤ 9 l/min
included: click-clack plug, key for aerator, connecting hoses 40 cm, easy assembly system



Mixer is fitted with NEOPERL aerator to aerate water together with a possibility to easily remove limescale.

bidet mixer
upright with plug




FINISH: CHROME

CODE: BAW_032D
EAN: 5907791184610

FINISH: BLACK

CODE: BAW_732D
EAN: 5907791184665



material: brass

spout reach: 130 mm

ceramic cartridge: 25 mm

flow class: Z ≤ 9 l/min

included: click-clack plug, connecting hoses 40 cm, easy assembly system

shower mixer
wall-mounted, without shower set




FINISH: CHROME

CODE: BAW_040D
EAN: 5907791184627

FINISH: BLACK

CODE: BAW_740D
EAN: 5907791184672






material: brass

ceramic cartridge: 35 mm

flow class: B ≤ 25,2 l/min

included: mounting elements



We recommend to select Tivano series SEE P. 248





shower column
with mixer



FINISH: CHROME
CODE: PAW_00KB
EAN: 5907791184689



FINISH: BLACK
CODE: PAW_70KB
EAN: 5907791184696

A switch with a minimalistic design, located in the shower column in an invisible place under the mixer, provides an easy access to function switching.



ADJUSTABLE HEIGHT OF OVERHEAD RAIN SHOWER
RAIN STREAM (OVERHEAD RAIN SHOWER, HAND SHOWER)
ANTI-CALC SYSTEM
ANTI-TWIST SYSTEM

material: brass, steel, plastic

ceramic cartridge: 35 mm


flow class: overhead rain shower A ≤ 15 l/min,
hand shower Z ≤ 12 l/min

type of hose: metal braided rubber

length of hose: 1500 mm

overhead rain shower size: 261x191 mm

included: mounting elements



Did you know that...

Polish word “prysznic” (shower) derives from the name of Austrian farmer, Vinzenz Priessnitz – who is generally considered the founder of modern hydrotherapy, and inventor of the shower as well as a “wonderful” method of treatment with cold water.

Did you know that...

Water running from the tap when brushing teeth (3 minutes=15 L) or shaving (10 minutes=100 L), has an impact on bills for water to pay. We assume that it need not be explained that small green habits, as closing the water tap, globally are extremely important for the Earth, especially when we are about to face drought.



Volumo series



bath mixer

wall-mounted, without shower set



FINISH: CHROME
CODE: BAV_010D
EAN: 5907791176776



FINISH: BLACK
CODE: BAV_710D
EAN: 5907791176837



START/STOP
CARTRIDGE



90°
CERAMIC
SHOWER
SWITCH



material: brass

spout reach: 167 mm

cartridge – start/stop: 35 mm

flow class: spout A ≤ 15 l/min,
hand shower S ≤ 19,8 l/min

included: mounting elements with check valve



An elegant and universal model. Decorated knobs, thanks to a special texture, facilitate operation even with wet hands. Mixer is fitted with a start/stop cartridge for closing and opening water flow by pushing a button at the body right*. The knob on the right is for water temperature adjustment, while on the left – for switching the stream between spout and hand shower. The button is a solution for easy opening of the water stream, e.g. for bathrooms used by children.

*Fittings started by button, possibility to adjust the intensity of water outflow with the function switch.

With start/stop cartridge opening and closing the water stream is effected by pushing a button located on the top of the mixer*. Temperature adjustment takes place by turning the knob either to the left or to the right. Mixer with ECO function with low water flow.

*Fittings started by button, possibility to adjust the intensity of water outflow with the function switch.

washbasin mixer

upright, with plug



FINISH: CHROME
CODE: BAV_022D
EAN: 5907791176783



FINISH: BLACK
CODE: BAV_722D
EAN: 5907791176844



START/STOP
CARTRIDGE



SAVING
WATER



CLICK-CLACK
PLUG



EASY
ASSEMBLY


material: brass

spout reach: 129 mm

cartridge – start/stop: 35 mm

flow class: Z ≤ 9 l/min

included: click-clack plug, connecting hoses 45 cm with
check valve, easy assembly system



washbasin mixer

upright, countertop, with plug



FINISH: CHROME
CODE: BAV_02ND
EAN: 5907791176790



FINISH: BLACK
CODE: BAV_72ND
EAN: 5907791176851



START/STOP
CARTRIDGE



SAVING
WATER



CLICK-CLACK
PLUG



EASY
ASSEMBLY


material: brass

spout reach: 215 mm

cartridge – start/stop: 35 mm

flow class: Z ≤ 9 l/min

included: click-clack plug, connecting hoses 45 cm with
check valve, easy assembly system






bidet mixer
upright, with plug



FINISH: CHROME
CODE: BAV_032D
EAN: 5907791176806

FINISH: BLACK
CODE: BAV_732D
EAN: 5907791176868



START/STOP CARTRIDGE
CLICK-CLACK PLUG
EASY ASSEMBLY

material: brass

spout reach: 145 mm


cartridge – start/stop: 35 mm

flow class: A ≤ 15 l/min

included: click-clack plug, connecting hoses 45 cm with check valve, easy assembly system

With start/stop cartridge opening and closing the water stream is effected by pushing a button located on the top of the mixer*. Temperature adjustment takes place by turning the knob either to the left or to the right. Mixer with ECO function with low water flow.

*Fittings started by button, possibility to adjust the intensity of water outflow with the function switch.



Extremely simple operation, constant water stream activated with button, temperature adjustment with a knob.

shower mixer
wall-mounted, without shower set



FINISH: CHROME
CODE: BAV_040D
EAN: 5907791176813

FINISH: BLACK
CODE: BAV_740D
EAN: 5907791176875



START/STOP CARTRIDGE

material: brass


cartridge – start/stop: 35 mm

flow class: S ≤ 19,8 l/min

included: mounting elements with check valve

Opening and closing of water outflow, with use of a start/stop cartridge, is effected with a button located on the right*. Decorated knob, with a special texture, facilitates operation even with wet hands and ensures temperature adjustment.

*Fittings started by button, possibility to adjust the intensity of water outflow with the function switch.



shower mixer

for concealed installation, with shower set



FINISH: CHROME



CODE: BAV_00TP
EAN: 5907791176769

FINISH: BLACK

CODE: BAV_70TP
EAN: 5907791176820

Mixer fitted with special thermostatic cartridge allows to set a desired water temperature, the same any time the stream is activated. It gives a possibility to set a desired constant water temperature, without a risk of burns. This solution is popular in flats occupied by elderly people and families with small children for safety reasons.

*Fittings started by button, possibility to adjust the intensity of water outflow with the function switch.



material: brass, steel, plastic

thermostatic cartridge

flow class: overhead rain shower A ≤ 15 l/min, hand shower Z ≤ 9 l/min

type of hose: metal braided rubber

length of hose: 1500 mm

overhead rain shower size: $\varnothing 250$ mm

included: shower set, concealed box, elements for surface-mounting and concealed installation

shower column

with mixer



FINISH: CHROME

CODE: PLV_000B
EAN: 5907791176745

FINISH: BLACK

CODE: PLV_700B
EAN: 5907791176752

material: brass, steel, plastic

ceramic cartridge: 35 mm


flow class: rain shower Z ≤ 12 l/min, hand shower ZZ $\leq 7,2$ l/min

type of hose: metal braided rubber

length of hose: 1500 mm

overhead rain shower size: $\varnothing 200$ mm

included: mounting elements



Opening and closing of water outflow, with use of a start/stop cartridge, is effected with a button located on the right*. Decorated knob, with a special texture, facilitates operation even with wet hands and ensures temperature adjustment.

*Fittings started by button, possibility to adjust the intensity of water outflow with the function switch.



Did you know that...

Replaced old mixer taps, washbasins or showers, etc. cannot be disposed of in common waste containers. They are not even considered high-volume waste, like furniture. During renovation bathroom furnishing elements can be disposed of only to a previously ordered container. If you need to replace just a single mixer or toilet bowl, handle it to a point of selective collection of municipal waste – each municipality runs such point. Selective collection of municipal waste – the Council of the City of Łódź (lodz.pl)



Muro series




washbasin mixer
upright, with plug




FINISH: BLACK
CODE: BAU_722D
EAN: 5907791166197



FINISH: GRAPHITE
CODE: BAU_922D
EAN: 5907791166265



material: brass
spout reach: 114 mm
ceramic cartridge: 26 mm
flow class: $Z \leq 9$ l/min
included: click-clack plug, connecting hoses 40 cm, easy assembly system




washbasin mixer
for concealed installation, with plug




FINISH: BLACK
CODE: BAU_722P
EAN: 5907791166203



FINISH: GRAPHITE
CODE: BAU_922P
EAN: 5907791166272



material: brass
spout reach: 183 mm
cartridge: 1/2"
flow class: $A \leq 15$ l/min
included: click-clack plug, concealed box, elements for surface-mounting and concealed installation




washbasin mixer
upright, with L-shaped spout and plug




FINISH: BLACK
CODE: BAU_725D
EAN: 5907791166210



FINISH: GRAPHITE
CODE: BAU_925D
EAN: 5907791166289



material: brass
spout reach: 151 mm
ceramic cartridge: 25 mm
flow class: $Z \leq 9$ l/min
included: click-clack plug, connecting hoses 40 cm, easy assembly system






washbasin mixer
upright, countertop, with plug



FINISH: BLACK
CODE: BAU_72ND
EAN: 5907791166227

FINISH: GRAPHITE
CODE: BAU_92ND
EAN: 5907791166296



material: brass

spout reach: 178 mm

ceramic cartridge: 26 mm

flow class: Z ≤ 9 l/min


included: click-clack plug, connecting hoses 40 cm, easy assembly system

bidet mixer
upright, with plug



FINISH: BLACK
CODE: BAU_732D
EAN: 5907791166234

FINISH: GRAPHITE
CODE: BAU_932D
EAN: 5907791166302





material: brass

spout reach: 107 mm

ceramic cartridge: 26 mm

flow class: Z ≤ 9 l/min

included: click-clack plug, connecting hoses 40 cm, easy assembly system



bath and shower mixer

for concealed installation, with shower set



FINISH: BLACK
 CODE: BAU_711P
 EAN: 5907791166180




FINISH: GRAPHITE
 CODE: BAU_911P
 EAN: 5907791166258

Bath and shower mixer is a 3-in-1 option. With innovative constructional solutions it is suitable for:

- bathtubs with screen
- bathrooms with bathtub - installation with spout
- shower cabins - installation with overhead rain shower.

Resizing from selected elements is possible by stopping a corresponding hole as specified in assembly instructions.



material: brass, steel, plastic

spout reach: 180 mm

flow class: spout A ≤ 15 l/min,
 overhead rain shower A ≤ 15 l/min, hand shower Z ≤ 9 l/min


ceramic cartridge: 35 mm

type of hose: metal braided rubber





length of hose: 1500 mm

overhead rain shower size: Ø250 mm

included: shower set, concealed box, elements for surface-mounting and concealed installation, box stopper



POSSIBLE VARIANTS OF CONNECTION OF BATH AND SHOWER MIXER



shower column
with mixer



FINISH: BLACK
CODE: PLU_700B
EAN: 5907791167729

FINISH: GRAPHITE
CODE: PLU_100B
EAN: 5907791167712



material: brass, steel, plastic

ceramic cartridge: 35 mm


flow class: overhead rain shower A ≤ 15 l/min,
hand shower Z ≤ 12 l/min

type of hose: metal braided rubber

length of hose: 1500 mm

overhead rain shower size: Ø250 mm

included: mounting elements



hand shower



FINISH: CHROME
CODE: NLU_0SAD
EAN: 5907791168931



FINISH: BLACK
CODE: NLU_7SAD
EAN: 5907791168955




FINISH: GRAPHITE
CODE: NLU_1SAD
EAN: 5907791168948



material: plastic

flow class: Z ≤ 12 l/min





Kvadrato series

bath mixer

wall-mounted, without shower set



FINISH: CHROME
CODE: BLQ_010D
EAN: 5907791127532



FINISH: BLACK
CODE : BLQ_710D
EAN: 5907791177858

NEW NEW NEW
NEW NEW NEW
NEW NEW NEW


material: brass

spout reach: 184 mm

ceramic cartridge: 35 mm

flow class: spout S ≤ 19,8 l/min, hand shower B ≤ 25,2 l/min

included: key for aerator, mounting elements



bath mixer

3-hole



FINISH: CHROME
CODE: BLQ_013D
EAN: 5907791143358



FINISH: BLACK
CODE: BLQ_713D
EAN: 5907791177414



material: brass, plastic

spout reach: 206 mm

ceramic cartridge: 35 mm


flow class: spout S ≤ 19,8 l/min, hand shower A ≤ 15 l/min

type of hose: metal braided rubber

length of hose: 1500 mm

included: shower set, key for aerator, connecting hoses 50 cm, mounting elements

Kvadrato 3-hole bath mixer is designed for upright installation directly on a bathtub or in a shelf covered with tiles. Comfortable function switch, integrated with spout, with one push switches the water stream from hand shower to overhead rain shower and the other way round. Shower hose is concealed under tiles, thus it does not need to be put around the mixer, and the bathroom looks tidy and aesthetic.



upright washbasin mixer

with plug



FINISH: CHROME
CODE: BLQ_022D
EAN: 5907791127549



FINISH: BLACK
CODE: BLQ_722D
EAN: 5907791177841



CLICK-CLACK
PLUG


material: brass

spout reach: 126 mm

ceramic cartridge: 35 mm

flow class: A ≤ 15 l/min

included: click-clack plug, key for aerator, connecting hoses 40 cm, mounting elements



washbasin mixer
for concealed installation, with plug



FINISH: CHROME
CODE: BLQ_022P
EAN: 5907791177438



FINISH: BLACK
CODE: BLQ_722P
EAN: 5907791177421

NEW NEW NEW
NEW NEW NEW
NEW NEW NEW

washbasin mixer
upright, countertop, with plug



FINISH: CHROME
CODE: BLQ_02ND
EAN: 5907791177889



FINISH: BLACK
CODE: BLQ_72ND
EAN: 5907791177872

NEW NEW NEW
NEW NEW NEW
NEW NEW NEW



CLICK-CLACK
PLUG

material: brass

spout reach: 225 mm

ceramic cartridge: 35 mm

flow class: S ≤ 19,8 l/min

included: click-clack plug, concealed box, elements for surface-mounting and concealed installation



CLICK-CLACK
PLUG

EASY
ASSEMBLY




material: brass

spout reach: 170 mm

ceramic cartridge: 35 mm


flow class: A ≤ 15 l/min

included: click-clack plug, key for aerator, connecting hoses 45 cm, easy assembly system



Kvadrato wall-mounted washbasin mixer is a perfect solution for those who wish to refresh their bathroom without having to retrofit the hydraulic system. Long swivel spout guarantees an exceptional use comfort.

washbasin mixer
wall-mounted




FINISH: CHROME
CODE: BLQ_050D
EAN: 5907791177261

FINISH: BLACK
CODE: BLQ_750D
EAN: 5907791177278




MOVABLE SPOUT

- material: brass
- spout reach: 209 mm
- ceramic cartridge: 35 mm
- flow class: A ≤ 15 l/min
- included: mounting elements



bidet mixer
upright, with plug




FINISH: CHROME
CODE: BLQ_032D
EAN: 5907791127556

FINISH: BLACK
CODE: BLQ_732D
EAN: 5907791177391



AUTOMATIC PLUG

- material: brass
- spout reach: 121 mm
- ceramic cartridge: 35 mm
- flow class: A ≤ 15 l/min
- included: automatic plug, connecting hoses 40 cm, mounting elements



NEW NEW NEW NEW NEW NEW NEW NEW NEW NEW NEW NEW

shower mixer
without shower set




FINISH: CHROME
KOD: BLQ_040D
EAN: 5907791127563

FINISH: BLACK
KOD: BLQ_740D
EAN: 5907791177865

NEW NEW NEW NEW NEW NEW NEW NEW NEW NEW NEW NEW

- material: brass
- ceramic cartridge: 35 mm
- flow class: A ≤ 15 l/min
- included: mounting elements



shower mixer
thermostatic, without shower set



FINISH: CHROME
KOD: BLQ_04TD
EAN: 5907791175359

FINISH: BLACK
KOD: BLQ_74TD
EAN: 5907791175366




THERMOSTATIC MIXER



COOL TOUCH

- material: brass
- VERNET thermostatic cartridge
- flow class: B ≤ 25,2 l/min
- included: mounting elements

With cool touch function the mixer does not heat, which ensures use comfort. While thermostatic VERNET cartridge supplied by renowned French company, allows to set a desired water temperature, the same each time the water stream is activated. It gives a possibility to set a desired constant water temperature, without a risk of burns. This solution is popular in flats occupied by elderly people and families with small children for safety reasons.



shower mixer

for concealed installation, with shower set




FINISH: CHROME

CODE: BLQ_002P
EAN: 5907791148759

FINISH: BLACK

CODE: BLQ_702P
EAN: 5907791177407

NEW NEW NEW NEW NEW NEW NEW NEW



material: brass, steel, plastic

ceramic cartridge: 35 mm


flow class: overhead rain shower A ≤ 15 l/min, hand shower A ≤ 15 l/min

type of hose: metal braided rubber


length of hose: 1500 mm

overhead rain shower size: 200x200 mm


included: shower set, concealed box, elements for surface-mounting and concealed installation

**shower column**


with thermostatic mixer



FINISH: CHROME

CODE: PLQ_00TD
EAN: 5907791143570

Shower column fitted with a mixer with special thermostatic cartridge allows to set a desired water temperature, the same any time the stream is activated. It gives a possibility to set a desired constant water temperature, without a risk of burns. This solution is popular in flats occupied by elderly people and families with small children for safety reasons.



material: brass, steel, plastic

thermostatic cartridge

flow class: overhead rain shower S ≤ 20 l/min,
hand shower ZZ ≤ 7,2 l/min

type of hose: metal braided rubber

length of hose: 1500 mm

overhead rain shower size: 250x250 mm

included: mounting elements

shower column



material: brass, steel, plastic

flow class: rain shower
Z ≤ 12 l/min,
hand shower ZZ ≤ 7,2 l/min


type of hose: metal braided
rubber

length of hose: 1500 mm

overhead rain shower size:
200x200 mm

included: mounting
elements

FINISH: CHROME
CODE: PLQ_00KX
EAN: 5907791109231



**shower set
riser rail**



material: steel, plastic


flow class: ZZ ≤ 7,2 l/min

type of hose: metal braided
rubber

length of hose: 1500 mm

included: mounting elements

FINISH: CHROME
CODE: NLQ_01AD
EAN: 5907791109224



**shower set
single-point**



FINISH: CHROME
CODE: NLQ_00AD
EAN: 5907791175991

FINISH: BLACK
CODE: NLQ_70AD
EAN: 5907791176004




material: steel, plastic

flow class: ZZ ≤ 7,2 l/min

type of hose: metal braided rubber

length of hose: 1500 mm

included: mounting elements



hand shower




FINISH: CHROME
CODE: NLQ_0SAD
EAN: 5907791109217

FINISH: BLACK
CODE: NLQ_7SAD
EAN: 5907791175984



material: plastic


flow class: ZZ ≤ 7,2 l/min





Did you know that...

About 35 % of people sings under the shower. Singing under the shower can reduce stress, improve the mood, and even increase immunity... However when living in a block of flats, remember that an opera aria, no matter if the performance is excellent or not at 5 a.m., doesn't really have to make a neighbour be fond of.



Largo series

bath mixer

wall-mounted, without shower set



FINISH: CHROME
CODE: BAH_010D
EAN: 5907791146519





FINISH: WHITE/CHROME
CODE: BAH_610D
EAN: 5907791146571



FINISH: BLACK/CHROME
CODE: BAH_710D
EAN: 5907791146632

The series stands out with cascade shape of the spout with aerator to aerate the water stream.



material: brass

spout reach: 169 mm

ceramic cartridge: 35 mm

flow class: S ≤ 19,8 l/min

included: key for aerator, mounting elements

washbasin mixer

upright, with plug



FINISH: CHROME
CODE: BAH_022D
EAN: 5907791146526





FINISH: WHITE/CHROME
CODE: BAH_622D
EAN: 5907791146588



FINISH: BLACK/CHROME
CODE: BAH_722D
EAN: 5907791146649

The series stands out with cascade shape of the spout with aerator to aerate the water stream.




material: brass

spout reach: 106 mm

ceramic cartridge: 35 mm

flow class: A ≤ 15 l/min

included: click-clack plug, key for aerator, connecting hoses 40 cm, easy assembly system



washbasin mixer

upright, countertop, with plug



FINISH: CHROME
 CODE: BAH_02ND
 EAN: 5907791146533



FINISH: WHITE/CHROME
 CODE: BAH_62ND
 EAN: 5907791146595



FINISH: BLACK/CHROME
 CODE: BAH_72ND
 EAN: 5907791146656

bidet mixer

upright, with plug



FINISH: CHROME
 CODE: BAH_032D
 EAN: 5907791146540



FINISH: WHITE/CHROME
 CODE: BAH_632D
 EAN: 5907791146601



FINISH: BLACK/CHROME
 CODE: BAH_732D
 EAN: 5907791146663

The series stands out with cascade shape of the spout with aerator to aerate the water stream.



CLICK-CLACK
PLUG



EASY
ASSEMBLY


material: brass

spout reach: 160 mm

ceramic cartridge: 35 mm

flow class: A ≤ 15 l/min

included: click-clack plug, key for aerator, connecting hoses 40 cm, easy assembly system



CLICK-CLACK
PLUG



EASY
ASSEMBLY


material: brass

spout reach: 110 mm

ceramic cartridge: 35 mm

flow class: A ≤ 15 l/min

included: click-clack plug, connecting hoses 40 cm, easy assembly system



shower mixer
wall-mounted, without shower set



FINISH: CHROME
CODE: BAH_040D
EAN: 5907791146557





FINISH: WHITE/CHROME
CODE: BAH_640D
EAN: 5907791146618



FINISH: BLACK/CHROME
CODE: BAH_740D
EAN: 5907791146670

material: brass
ceramic cartridge: 35 mm
flow class: S ≤ 19,8 l/min
included: mounting elements

We recommend to select Zorita series
SEE P. 232, 238, 247




shower mixer
for concealed installation, with switch



FINISH: CHROME
CODE: BAH_00PD
EAN: 5907791146564






FINISH: WHITE/CHROME
CODE: BAH_60PD
EAN: 5907791146625



FINISH: BLACK/CHROME
CODE: BAH_70PD
EAN: 5907791146687



material: brass
ceramic cartridge: 35 mm
flow class: A ≤ 15 l/min
included: concealed box, elements for surface-mounting and concealed installation






Alea series

bath mixer

wall-mounted, without shower set



FINISH: CHROME

CODE: BLE_010D
EAN: 5907791125873

FINISH: WHITE/CHROME

CODE: BLE_610D
EAN: 5907791125910



EASY
CLEANING
(CHROME)


material: brass

spout reach: 159 mm

ceramic cartridge: 35 mm

flow class: spout S ≤ 19,8 l/min,
hand shower S ≤ 19,8 l/min

included: key for aerator, mounting elements



bath mixer

wall-mounted, with swivel spout, without shower set



FINISH: CHROME

CODE: BLE_01FD
EAN: 5907791117830

FINISH: WHITE/CHROME

CODE: BLE_61FD
EAN: 5907791117847



FOLDABLE
SPOUT

material: brass


spout reach: 171 mm

ceramic cartridge: 35 mm

flow class: spout A ≤ 15 l/min, hand shower A ≤ 15 l/min

included: mounting elements

Mixer with foldable spout, which can be hidden, allows to gain more space, and thus comfort in the shower area. Spout position determines water outflow point. When it is hidden in the mixer body, water will run from hand shower, and when the spout is set perpendicularly to the mixer body, water will run directly to the bathtub.



Alea 3-hole bath mixer is designed for upright installation directly on a bathtub or in a shelf covered with tiles. Shower hose is concealed under tiles or bathtub.

bath mixer

upright 3-hole



FINISH: CHROME

CODE: BLE_013D
EAN: 5907791143365

FINISH: WHITE/CHROME

CODE: BLE_613D
EAN: 5907791143372



BUTTON
OPERATED
SWITCH



RAIN STREAM
(HAND SHOWER)



ANTI-CALC
SYSTEM



EASY
CLEANING
(CHROME)

material: brass, plastic

spout reach: 206 mm

ceramic cartridge: 35 mm


type of hose: metal braided rubber

flow class: spout A ≤ 15 l/min, hand shower A ≤ 15 l/min

length of hose: 1500 mm

included: key for aerator, connecting hoses 50 cm, mounting elements

Comfortable function switch, integrated with spout, with one push switches the water stream from hand shower to overhead rain shower and the other way round.



washbasin mixer

upright, with plug



FINISH: CHROME

CODE: BLE_022D
EAN: 5907791125880

FINISH: WHITE/CHROME

CODE: BLE_622D
EAN: 5907791125927



CLICK-CLICK
PLUG



EASY
ASSEMBLY



EASY
CLEANING
(CHROME)


material: brass

spout reach: 106 mm

ceramic cartridge: 35 mm

flow class: A ≤ 15 l/min


included: click-click plug, key for aerator, connecting hoses 40 cm, easy assembly system



washbasin mixer
upright, with L-shaped spout and plug



FINISH: CHROME
CODE: BLE_025D
EAN: 5907791117816



material: brass

spout reach: 125 mm

ceramic cartridge: 35 mm

flow class: A ≤ 15 l/min

included: click-clack plug, key for aerator, connecting hoses 40 cm, easy assembly system

washbasin mixer
upright, countertop, with plug



FINISH: CHROME
CODE: BLE_02ND
EAN: 5907791125897





material: brass

spout reach: 160 mm

ceramic cartridge: 35 mm

flow class: A ≤ 15 l/min

included: click-clack plug, key for aerator, connecting hoses 40 cm, easy assembly system




bidet mixer

upright, with plug



FINISH: CHROME
CODE: BLE_032D
EAN: 5907791143037

FINISH: WHITE/CHROME
CODE: BLE_632D
EAN: 5907791109743



material: brass

spout reach: 116 mm

ceramic cartridge: 35 mm

flow class: A ≤ 15 l/min

included: automatic plug, connecting hoses 40 cm, mounting elements

shower mixer

wall-mounted, without shower set



FINISH: CHROME
CODE: BLE_040D
EAN: 5907791125903

FINISH: WHITE/CHROME
CODE: BLE_640D
EAN: 5907791125941



material: brass

ceramic cartridge: 35 mm

flow class: A ≤ 15 l/min

included: mounting elements



We recommend to select Cers series
SEE P. 226, 248

shower mixer

for concealed installation, with switch



FINISH: CHROME
CODE: BLE_00PD
EAN: 5907791144867

FINISH: WHITE/CHROME
CODE: BLE_60PD
EAN: 5907791144874






material: brass

ceramic cartridge: 35 mm

flow class: S ≤ 19,8 l/min

included: concealed box, elements for surface-mounting and concealed installation



Plato series

bath mixer

wall-mounted, without shower set



FINISH: CHROME
CODE: BLY_010D
EAN: 5907791127594


material: brass

spout reach: 165 mm

ceramic cartridge: 35 mm

flow class: spout S ≤ 19,8 l/min,
hand shower S ≤ 19,8 l/min

included: key for aerator, mounting elements



washbasin mixer

upright, with plug



FINISH: CHROME
CODE: BLY_022D
EAN: 5907791127600



CLICK-CLACK
PLUG


material: brass

spout reach: 115 mm

ceramic cartridge: 35 mm

flow class: A ≤ 15 l/min

included: click-clack plug, key for aerator, connecting hoses
40 cm, mounting elements





Did you know that...

October, 15 is the Global Handwashing Day announced by WHO. Despite the fact that people are taught this simple activity as children, the statistics are appalling. Every 8th Pole does not wash hands before eating, every 5th one does not do this after coming home. Every 2nd male and every 4th female does not wash hands after using the toilet!

washbasin mixer

sensor, with external temperature control



FINISH: CHROME
CODE: BLY_024D
EAN: 5907791187574



FINISH: BLACK
CODE: BLY_724D
EAN: 5907791189639



SENSOR MIXER



SAVING WATER



EASY CLEANING (CHROME)



TEMPERATURE CONTROL INCLUDED

material: brass

spout reach: 129 mm

sensor cartridge: 25 mm

flow class: Z ≤ 9 l/min

included: transformer 100-230 V AC, 50-60 Hz or powered with AA batteries; temperature controller, key for aerator, connecting hoses 40 and 45 cm, mounting elements

washbasin mixer

sensor, with integrated temperature control



FINISH: CHROME
CODE: BLY_024R
EAN: 5907791187581



FINISH: BLACK
CODE: BLY_724R
EAN: 5907791189646



SENSOR MIXER



SAVING WATER

material: brass


spout reach: 129 mm

sensor cartridge: 18 mm

flow class: Z ≤ 9 l/min

included: transformer 100-230 V AC, 50-60 Hz or 4 x AA batteries; key for aerator, connecting hoses 45 cm, mounting elements

Sensor mixer activated by photocell through getting hands near motion detecting sensor. The mixer stops automatically after they are taken away. Safety switch triggers after 60 seconds. Motion sensing area is 12-18 cm. Water temperature adjustment, depending on model, is effected by setting a knob integrated with the mixer body or a controller provided under the top. Sensor operation reduces contact with bacteria and viruses. This is a solution for bathrooms used by small children who forget to switch water off. The mixer, when installed in a public place, will have a positive effect on reduction of water consumption and thus bills.



bidet mixer

upright, with plug



FINISH: CHROME
 CODE: BLY_032D
 EAN: 5907791127617



AUTOMATIC
 PLUG

material: brass

spout reach: 116 mm

ceramic cartridge: 35 mm

flow class: A ≤ 15 l/min

included: automatic plug, connecting hoses 40 cm,
 mounting elements

shower mixer

wall-mounted, without shower set



FINISH: CHROME
 CODE: BLY_040D
 EAN: 5907791127624

material: brass

ceramic cartridge: 35 mm

flow class: A ≤ 15 l/min

included: mounting elements



We recommend to select
 Leste series
 SEE P. 225, 233, 247

shower mixer

for concealed installation, with shower set



FINISH: CHROME
 CODE: BLY_001P
 EAN: 5907791144881



90°
 CERAMIC
 SHOWER
 SWITCH



RAIN STREAM
 (OVERHEAD
 RAIN SHOWER,
 HAND SHOWER)



ANTI-CALC
 SYSTEM



EASY
 CLEANING
 (CHROME)



BOX

material: brass, steel, plastic

ceramic cartridge: 35 mm




flow class: spout A ≤ 15 l/min,
 hand shower A ≤ 15 l/min

type of hose: metal braided rubber

length of hose: 1500 mm

overhead rain shower size: 250 x 250 mm

included: shower set, concealed box, elements for surface-
 mounting and concealed installation



Appia series

bath mixer

wall-mounted, without shower set



FINISH: CHROME
CODE: BLP_010D
EAN: 5907791122780



EASY
CLEANING
(CHROME)

material: brass

spout reach: 172 mm

ceramic cartridge: 35 mm

flow class: spout S ≤ 19,8 l/min,
hand shower B ≤ 25,2 l/min

included: mounting elements

bath mixer

upright, without shower set



FINISH: CHROME
CODE: BLP_015D
EAN: 5907791129567



EASY
CLEANING
(CHROME)




material: brass

spout reach: 137 mm

ceramic cartridge: 35 mm

flow class: spout B ≤ 25,2 l/min,
hand shower B ≤ 25,2 l/min

included: mounting elements



FINISH: BLACK
CODE: BLP_715D
EAN: 5907791189622

NEW NEW NEW
NEW NEW NEW
NEW NEW NEW

bath mixer

wall-mounted, with swivel spout, without shower set



FINISH: CHROME
CODE: BLP_01FD
EAN: 5907791102997



MOVABLE
SPOUT



CERAMIC
SHOWER
SWITCH

material: brass


spout reach: 327 mm

ceramic cartridge: 35 mm

flow class: spout A ≤ 15 l/min,
hand shower A ≤ 15 l/min

included: mounting elements

Useful solution for utility rooms. Possibility to connect shower hose and hand shower.



bath mixer

upright, 1-hole, without shower set



FINISH: CHROME
CODE: BLP_01JD
EAN: 5907791129840



EASY
ASSEMBLY



EASY
CLEANING
(CHROME)

material: brass


spout reach: 115 mm

ceramic cartridge: 35 mm

flow class: spout S ≤ 19,8 l/min,
hand shower B ≤ 25,2 l/min

included: connecting hoses 40 cm,
easy assembly system

Multi-functional bath mixer perfect for installation in a bath, washbasin, bidet or utility room. It is ideal for small corner bathtubs. Possibility to connect shower hose and hand shower.




NEW NEW NEW
NEW NEW NEW
NEW NEW NEW

washbasin mixer
upright, with plug



FINISH: CHROME
CODE: BLP_022D
EAN: 5907791122797




material: brass
spout reach: 109 mm
ceramic cartridge: 35 mm
flow class: Z ≤ 9 l/min
included: click-clack plug, connecting hoses 40 cm, easy assembly system



washbasin mixer
upright, with swivel spout



FINISH: CHROME
CODE: BLP_026D
EAN: 5907791127815



material: brass
spout reach: 152 mm
ceramic cartridge: 35 mm
flow class: Z ≤ 9 l/min
included: connecting hoses 40 cm, mounting elements



shower mixer

wall-mounted, without shower set



FINISH: CHROME



CODE: BLP_040D
EAN: 5907791122803EASY
CLEANING
(CHROME)

material: brass

ceramic cartridge: 35 mm

flow class: B ≤ 25,2 l/min

included: mounting elements

We recommend to select
Cers series
SEE P. 226, 248**shower mixer**

for concealed installation, with switch




FINISH: CHROME

CODE: BLP_00PD
EAN: 5907791102911EASY
CLEANING
(CHROME)

material: brass

ceramic cartridge: 35 mm

flow class: S ≤ 19,8 l/min

included: elements for surface-mounting and concealed
installation**shower mixer**

for concealed installation




FINISH: CHROME

CODE: BLP_00QD
EAN: 5907791102935EASY
CLEANING
(CHROME)

material: brass

ceramic cartridge: 35 mm

flow class: S ≤ 19,8 l/min

included: elements for surface-mounting and concealed
installation

Raila series

bath mixer

wall-mounted, without shower set



FINISH: CHROME

CODE: BLL_010D
EAN: 5907791123138



FINISH: WHITE/CHROME

CODE: BLL_610D
EAN: 5907791139856



FINISH: BLACK/CHROME

CODE: BLL_710D
EAN: 5907791129772





material: brass

spout reach: 174 mm

ceramic cartridge: 35 mm

flow class: spout B ≤ 25,2 l/min,
hand shower B ≤ 25,2 l/min

included: mounting elements



bidet mixer
upright, with plug



FINISH: CHROME
CODE: BLL_032D
EAN: 5907791143020



FINISH: WHITE/CHROME
CODE: BLL_632D
EAN: 5907791125996



FINISH: BLACK/CHROME
CODE: BLL_732D
EAN: 5907791102249


shower mixer
wall-mounted, without shower set



FINISH: CHROME
CODE: BLL_040D
EAN: 5907791123169



FINISH: WHITE/CHROME
CODE: BLL_640D
EAN: 5907791139887




FINISH: BLACK/CHROME
CODE: BLL_740D
EAN: 5907791129802




AUTOMATIC
PLUG


material: brass
spout reach: 117 mm
ceramic cartridge: 35 mm
flow class: A ≤ 15 l/min
included: automatic plug, connecting hoses 40 cm,
mounting elements



material: brass
ceramic cartridge: 35 mm
flow class: S ≤ 19,8 l/min
included: mounting elements



We recommend to select Zorita series
SEE P. 232, 238, 247



shower mixer

for concealed installation, with shower set



FINISH: CHROME
 CODE BLL_001P
 EAN: 5907791107350



material: brass, steel, plastic

ceramic cartridge: 35 mm



flow class: overhead rain shower A ≤ 15 l/min,
 hand shower A ≤ 15 l/min

type of hose: metal braided rubber

length of hose: 1500 mm

overhead rain shower size: Ø200 mm

included: shower set, elements for surface-mounting and
 concealed installation



Rondo series


bath mixer
wall-mounted, without shower set



FINISH: CHROME
CODE: BLX_010D
EAN: 5907791127631




material: brass
spout reach: 155 mm
ceramic cartridge: 35 mm
flow class: spout $S \leq 19,8$ l/min,
hand shower $S \leq 19,8$ l/min
included: mounting elements




bath mixer
wall-mounted, with swivel spout, without shower set



FINISH: CHROME
CODE: BLX_01FD
EAN: 5907791103017




material: brass
spout reach: 387 mm
ceramic cartridge: 35 mm
flow class: spout $A \leq 15$ l/min,
hand shower $S \leq 19,8$ l/min
included: mounting elements




washbasin mixer
upright, with plug



FINISH: CHROME
CODE: BLX_022D
EAN: 5907791127648




material: brass
spout reach: 89 mm
ceramic cartridge: 35 mm
flow class: $A \leq 15$ l/min
connecting hoses 40 cm, mounting elements




washbasin mixer
wall-mounted



FINISH: CHROME
CODE: BLX_050D
EAN: 5907791127679



material: brass
spout reach: 250 mm
ceramic cartridge: 35 mm
flow class: $A \leq 15$ l/min
included: mounting elements




shower mixer
wall-mounted, without shower set



FINISH: CHROME
CODE: BLX_040D
EAN: 5907791127662



material: brass
ceramic cartridge: 35 mm
flow class: $A \leq 15$ l/min
included: mounting elements



We recommend to select Caris series
SEE P. 233

Termico series

bath mixer

thermostatic, without shower set



FINISH: CHROME

CODE: BAT_01TD
EAN: 5907791109248



FINISH: BLACK

CODE: BAT_71TD
EAN: 5907791175335

shower mixer

thermostatic, without shower set




FINISH: CHROME

CODE: BAT_04TD
EAN: 5907791109255



FINISH: BLACK

CODE: BAT_74TD
EAN: 5907791175342



material: brass




VERNET thermostatic cartridge

flow class: A ≤ 15 l/min

included: mounting elements



We recommend to select
Fino series
SEE P. 237



material: brass

spout reach: 177 mm


VERNET thermostatic cartridge

flow class: A ≤ 15 l/min


included: mounting elements



We recommend to select
Fino series
SEE P. 224



Mixer fitted with special thermostatic cartridge allows to set a desired water temperature, the same any time the stream is activated. It gives a possibility to set a desired constant water temperature, without a risk of burns. This solution is popular in flats occupied by elderly people and families with small children for safety reasons.





Pictograms / key



**POLISH
PRODUCT**

Marking of products which are completely made in Poland – from design to production.



**DESIGNED
PRODUCT**

Models designed by members of Laveo design team.



GRANITE

Models made of granite, adequately selected mix of sand and resin, ensuring numerous resistance characteristics.



**VARIETY
OF COLOURS**

Models available in various colour versions.



**MOVABLE
SPOUT**

Spout enabling 360° rotation. Improves functionality of the mixer and allows to obtain a larger useful space.



**CERAMIC
SHOWER SWITCH**

Rotary switch that – unlike pull-out switches – works regardless of water pressure. It is used for switching between spout/overhead rain shower and hand shower. Ceramics guarantees longer life.



**BUTTON
OPERATED SWITCH**

Possibility to switch functions with use of a comfortable button provided on the mixer body or on hand showers.



**CLICK-CLACK
PLUG**

Plug for closing and opening outflow of water from washbasin with a single push from the top.



**THERMOSTATIC
MIXER**

Thermostatic cartridge allowing to set a constant water temperature. There is no need to look for an optimum setting of lever when using the shower each time, so you save time, energy and reduce water consumption. According to research, the most comfortable temperature for human body is 38°C.



**COOL
TOUCH**

Mixer body not subjecting to heat. Even after setting the highest water temperature, surface of the mixer will remain cool. Guaranteed use safety for elderly people and children.



**SENSOR
MIXER**

Model in which water stream is activated by bringing hands closer to a special sensor. The mixer is operated without hands. Product reducing water consumption.



**START/STOP
CARTRIDGE**

Mixer opening and closing water flow with use of a button. Allows for mixer operation with one finger after a single press.



**AUTOMATIC
PLUG**

Plug for closing and opening outflow of water from washbasin by pulling or pushing the string provided in the mixer body.




**EASY
ASSEMBLY**

Special sleeve allowing for installation of mixer without having to use any tools. Possibility of quick installation on one's own, without an expert assistance.



**SHOWER SET
INCLUDED**

Mixer with a set comprising shower hose, hand shower and hand shower bracket.



**LENGTH
OF BAR**

Bar with a length of 70 cm ensuring wider range of height adjustment of hand shower bracket. Facilitation in showers which are used by adults and children of various height.



**DOUBLE-KNOB
MIXER TAP**

Mixer in which two knobs are used for water temperature adjustment. Separate ones for cold and hot water.



**CARTRIDGE WITH ROTATION
ANGLE OF 90°**

Movement range limited to 90° to enhance water adjustment and shorten the time required to set a desired temperature. Fitted in double-knob mixers.




**WATER
SAVING**

Low flow class allowing for significant reduction of water consumption. Lower water consumption means reduced bills.



**NEOPERL
AERATOR**

Spout end designed for increasing volume of water stream through its aeration. Reduction of water consumption.



**ADJUSTABLE
FITTING SPAN**

Possibility to adjust fitting span allowing a shower to be installed in old holes left after the previous model.



**ADJUSTABLE HEIGHT OF
OVERHEAD RAIN SHOWER**

Possibility to adjust a height at which overhead rain shower should be set, allowing to adjust a shower to the user's height.



**RAIN
STREAM**

Basic stream which ensures optimum use of a shower for everyday bathing.



**HYDROMASSAGE
STREAM**

Intensive stream allowing for effective relaxation of tense muscles. It also have a positive effect on suppleness of the whole body.



**ANTI-LIMESCALE
AERATOR**

Aerator with a function for quick and comfortable removal of limescale left by hard water. Limescale removal is effected by precipitation from rubber protrusions when sliding them with a finger.



**MOVABLE
AERATOR**

Aerator allowing to change water outflow angle. It gives a possibility to set the stream so water is not splashed to the sides, e.g. walls in shallow washbasins.



**COIN SLOT
AERATOR**

Aerator with a crosswise slot for opening with use of a coin. Possibility to remove without having to use special tools.



**FOLDABLE
SPOUT**

Swivel spout additionally being a switch for switching between shower set and mixer. After folding the stream is directed to shower hose, and after unfolding water runs from the spout.



**CASCADE
STREAM**

Wide, constant stream being result of a special flattened shape of the spout.



**SOFT
STREAM**

Gentle stream which is obtained by aerating water. Perfect for long and relaxing baths.



**WATER
SPRAY STREAM**

The most gentle stream available in showers. Intended for washing face and gentle and irritated areas.



**MIXED
STREAM**

Stream combining two water intensities – usually rain and hydromassage. Allows for use of two outflow types at once with an intermediate switch setting.

Pictograms / key



STOP FUNCTION

Possibility to stop water stream directly in hand shower without having to turn water off with use of mixer.



SELF-CLEANING

System removing limescale left by hard water with use of special needles provided in nozzles. Activated with a button provided on hand shower or overhead rain shower.



ANTI-CALC SYSTEM

Special silicone protrusions in hand showers and overhead rain showers which allow for limescale removal and ensure nozzle permeability. Just slide hand over them to remove limescale.



ANTI-TWIST SYSTEM

System preventing unaesthetic tangling of shower hose and facilitating putting hand shower back in the bracket.



HIGH LOAD CAPACITY

Frame is resistant to loads of up to 400 kg.



ALL CONNECTIONS INCLUDED

The set includes all elements necessary for installation. There is no need to buy separate parts.



PRODUCT WITH ATTESTATION

Model with attestation of the National Institute of Public Health. Confirmation of compliance with current safety standards (human health and natural environment).



RESISTANT TO THERMAL SHOCK

Material resistant to differential temperature between 0 and 90°C.



STRETCH

Flexible shower hose which can extend its original length by 20%.



RIMLESS TOILET BOWL

Toilet bowl in which the whole surface is enamelled. Easy to clean. No difficult-to-reach recesses in which dirt and bacteria could collect.




EASY CLEANING

Surface on which limescale left after hard water is hardly visible. Smooth texture facilitating cleaning.



CONCEALED BOX

Specialist casing ensuring free access to enclosed parts of mixer for their maintenance or possible replacement. Integrated mini-level facilitates correct installation of a mixer.



RESISTANT TO TEMPERATURES UP TO 190°

Material resistant to high temperature of up to 190°C.



IMPACT-RESISTANT

Material resistant to damages which can result after dropping small objects on the product from a low height.



SCRATCH-RESISTANT

Material resistant to scratches which can be caused during everyday use.



DISCOLOURATION-RESISTANT

Material on which, with correct use of the product, no permanent signs after discolourations remain.



EUROPEAN QUALITY OF CARTRIDGE

Models fitted with high quality cartridges supplied by the Spanish -based manufacturer QUORE. Standard compliant with European certification.



TOILET SEAT INCLUDED

Toilet bowl fitted with a soft-close toilet seat with quick release system.



SOFT CLOSE

Mechanism slowing down the falling of a toilet seat. Prevents loud banging when falling quickly.




QUICK RELEASE

Possibility to detach a toilet seat from a toilet bowl with use of a button. Facilitating thorough cleaning of a toilet seat and bowl.



LOW HOUSING (52, 58 MM)

Construction of linear drain allowing for installation in low floors, e.g. in flats.



QUICK WATER OVERFLOW (24, 50 L/MIN)

Construction of outlet and siphon ensuring quick draining of water from a shower to the sewers.



OUTLET 44

Standard diameter of an outlet allowing to install any washbasin plug.



SERVICE AT CUSTOMER'S LOCATION

Products covered by nation-wide service at customer's location. Applicable throughout the whole warranty period for a particular product.



FLUSH PLATE INCLUDED

Dual flush plate which allows to adjust water flush volume according to the needs.



SLIM FRAME

Thin construction of a frame with a depth of 100 to 175 mm, allowing for installation in small-sized bathrooms.



SILENT OPERATION

Noise resulting from filling of cistern is limited to 9dB thanks to water cistern soundproofing with expanded polystyrene.



ADJUSTABLE FLUSH VOLUME

Possibility to change flush volume between 2/6.26 L to 3.25/7.5 L with a knob located under the flush plate. Additional adjustment outside dual flush plate.



WARRANTY 2, 8, 10

Specification of warranty period for a particular product. For detailed warranty conditions for product components please refer to warranty cards of particular models.



