

C A T A L O G U E

BATHROOM

OTHER



Preparations

preparation for cleaning and maintenance
of bathroom and kitchen
mixer taps

preparation for cleaning and maintenance
bathroom and kitchen
mixer taps – colour



PRETTO
mixer

preparation for cleaning and
maintenance of bathroom and
kitchen mixer taps – colour



CODE: OKT_050T
EAN: 5907791107398

REMOVES:

dirt of food origin

grease

limescale

residues of soap

capacity 500 ml



CODE: OKT_051T
EAN: 5907791165589

REMOVES:

dirt of food origin

grease

limescale

residues of soap

capacity 500 ml

Concealed elements

Kvadrato series

ceiling-mounted rain shower spout

wall-mounted rain shower spout



FINISH: CHROME
CODE: NWQ_050K
EAN: 5907791113726




FINISH: BLACK
CODE: NWQ_750K
EAN: 5907791169662

FINISH: CHROME
CODE: NWQ_055K
EAN: 5907791113719

FINISH: BLACK
CODE: NWQ_755K
EAN: 5907791169679

material: brass
length: 264 mm

material: brass
length: 359 mm
reach: 352 mm



KVADRATO
spout

Rondo series


ceiling-mounted rain shower spout



FINISH: CHROME
CODE: NWX_0500
EAN: 5907791113702

FINISH: BLACK
CODE: NWX_7500
EAN: 5907791169709

material: brass
length: 284 mm




wall-mounted rain shower spout



FINISH: CHROME
CODE: NWX_0570
EAN: 5907791113696

FINISH: BLACK
CODE: NWX_7570
EAN: 5907791169716

material: brass
length: 343 mm
reach: 331 mm




wall-mounted rain shower spout



FINISH: CHROME
CODE: NWX_0580
EAN: 5907791113733

FINISH: BLACK
CODE: NWX_7580
EAN: 5907791169723

material: brass
length: 141 mm
reach: 135 mm




Did you know that...

It is usually a sponge that is a hotbed for bacteria in a bathroom rather than a toilet bowl. Assuming that a toilet bowl is regularly cleaned using strong anti-bacterial agents, there will be less grown micro-organisms than on a sponge which is constantly exposed to use in a humid environment under a shower or on a bathtub. If it is possible, give up using a sponge or at least replace it very often.



Kvadrato series

slim overhead rain shower



FINISH: CHROME
CODE: NLQ_0D1S
EAN: 5907791108272




RAIN STREAM
(OVERHEAD
RAIN SHOWER)

material: steel


flow class: $S \leq 20$ l/min

overhead rain shower size: 250x250 mm

overhead rain shower



FINISH: CHROME
CODE: NLQ_0DAD
EAN: 5907791127754







RAIN STREAM
(OVERHEAD
RAIN SHOWER)

material: plastic

flow class: $A \leq 15$ l/min

overhead rain shower size: 200x200 mm

Slim overhead rain showers are upper elements of a shower with an extraordinarily thin design which allows for a quick response to turning the mixer off. In slim overhead rain shower water does not collect which helps preventing water dripping after taking a shower.



overhead rain shower slim



FINISH: CHROME
CODE: NLQ_0DAS
EAN: 5907791108265



FINISH: WHITE
CODE: NLQ_6DAS
EAN: 5907791139979




RAIN STREAM
(OVERHEAD
RAIN SHOWER)

material: steel


flow class: $S \leq 20$ l/min

overhead rain shower size: 200x200 mm

overhead rain shower slim



FINISH: CHROME
CODE: NLQ_0D2S
EAN: 5907791168757



FINISH: BLACK
CODE: NLQ_7D2S
EAN: 5907791168764



RAIN STREAM
(OVERHEAD
RAIN SHOWER)

material: steel

flow class: $A \leq 15$ l/min

overhead rain shower size: 300x300 mm

Leia series

overhead rain shower




FINISH: CHROME
CODE: NLE_ODAD
EAN: 5907791122483



FINISH: BLACK
CODE: NLE_7DAD
EAN: 5907791188144



material: plastic
flow class: Z ≤ 12 l/min
overhead rain shower size: Ø240 mm




Luke series

overhead rain shower




FINISH: CHROME
CODE: NLK_ODAD
EAN: 5907791122476



FINISH: BLACK
CODE: NLK_7DAD
EAN: 5907791188137




material: plastic
flow class: Z ≤ 12 l/min
overhead rain shower size: 220x220 mm



Rondo series

overhead rain shower
slim




FINISH: CHROME
CODE: NLX_OD1S
EAN: 5907791108296



FINISH: WHITE
CODE: NLX_6D1S
EAN: 5907791139962



material: steel
flow class: S ≤ 20 l/min
overhead rain shower size: Ø250 mm



overhead rain shower
slim




FINISH: CHROME
CODE: NLX_OD2S
EAN: 5907791168771



FINISH: BLACK
CODE: NLX_7D2S
EAN: 5907791168788




material: steel
flow class: A ≤ 15 l/min
overhead rain shower size: Ø300 mm



Did you know that...

A hot shower will work after a training session, help loosen tense muscles after a physical effort and simply relax. However water temperature should not exceed 38°C. It is no coincidence that mixers with thermostatic cartridges are recommended to be set to this temperature value.



overhead rain shower



FINISH: CHROME
 CODE: NLX_ODAD
 EAN: 5907791127761



RAIN STREAM (OVERHEAD RAIN SHOWER)
 ANTI-CALC SYSTEM

material: plastic
 flow class: A ≤ 15 l/min
 overhead rain shower size: Ø200 mm

overhead rain shower



FINISH: CHROME
 CODE: NLX_ODAS
 EAN: 5907791108289



RAIN STREAM (OVERHEAD RAIN SHOWER)
 ANTI-CALC SYSTEM

material wykonania: stal
 flow class: S ≤ 20 l/min
 overhead rain shower size: Ø200 mm

overhead rain shower






FINISH: CHROME
 CODE: NLX_ODAM
 EAN: 5907791114914



RAIN STREAM (OVERHEAD RAIN SHOWER)
 ANTI-CALC SYSTEM

material: plastic
 flow class: Z ≤ 12 l/min
 overhead rain shower size: Ø100 mm



Kvadrato series

angular connection
with hand shower bracket

A 2-in-2 solution. The connection has a specially profiled place for hand shower.



FINISH: CHROME
CODE: NPQ_060K
EAN: 5907791113757



FINISH: BLACK
CODE: NPQ_760K
EAN: 5907791169600

angular connection




FINISH: CHROME
CODE: NPQ_061K
EAN: 5907791113795




FINISH: BLACK
CODE: NPQ_761K
EAN: 5907791169617

material: brass



material: brass



Rondo series

angular connection
with hand shower bracket

A 2-in-2 solution. The connection has a specially profiled place for hand shower.



FINISH: CHROME
CODE: NPX_0600
EAN: 5907791113740



FINISH: BLACK
CODE: NPX_7600
EAN: 5907791169624

angular connection




FINISH: CHROME
CODE: NPX_0610
EAN: 5907791113764




FINISH: BLACK
CODE: NPX_7610
EAN: 5907791169631

material: brass




material: brass



Kvadrato series



spout
bath and washbasin




FINISH: CHROME
CODE: NWQ_010K
EAN: 5907791169648

material: brass


length: 267 mm

reach: 239 mm

Swivel spout allows to fold an element when not in use.




FINISH: BLACK
CODE: NWQ_710K
EAN: 5907791169655



Rondo series

spout
bath and washbasin



FINISH: CHROME
CODE: NWX_0100
EAN: 5907791169686

material: brass


length: 262 mm

reach: 238 mm

Swivel spout allows to fold an element when not in use.



FINISH: BLACK
CODE: NWX_7100
EAN: 5907791169693



Linear drains

Basso series

NEW NEW NEW NEW NEW NEW



← REFERENCE TO PRODUCT CHARACTERISTICS



← REVERSIBLE GRATE



← MORE ABOUT LINEAR DRAINS



LOW HOUSING



QUICK WATER OVERFLOW



EASY CLEANING

material: stainless steel 304 + ABS

method of installation: floor-mounted

connection size: 50 mm

grate type: tile-in or full

trap cleaned from the top

sludge trap

trap protecting strainer – 2 szt.

levelling legs

possibility to install odour trap


hook for lifting the grate included

insulating mat included

linear drain floor



FINISH	LENGTH	CODE	EAN
INOX	50 cm	COB_250D	5907791190321
	60 cm	COB_260D	5907791190338
	70 cm	COB_270D	5907791190345
	80 cm	COB_280D	5907791190352
	90 cm	COB_290D	5907791190369
	100 cm	COB_210D	5907791190376



linear drain
floor



FINISH	LENGTH	CODE	EAN
BLACK	50 cm	COB_750D	5907791190383
	60 cm	COB_760D	5907791190390
	70 cm	COB_770D	5907791190406
	80 cm	COB_780D	5907791190413
	90 cm	COB_790D	5907791190420
	100 cm	COB_710D	5907791190437

linear drain
floor



FINISH	LENGTH	CODE	EAN
BLACK GLASS	50 cm	COB_750S	5907791190567
	60 cm	COB_760S	5907791190574
	70 cm	COB_770S	5907791190581
	80 cm	COB_780S	5907791190598
	90 cm	COB_790S	5907791190604
	100 cm	COB_710S	5907791190611

linear drain
floor



FINISH	LENGTH	CODE	EAN
GOLD	50 cm	COB_G50D	5907791190444
	60 cm	COB_G60D	5907791190451
	70 cm	COB_G70D	5907791190468
	80 cm	COB_G80D	5907791190475
	90 cm	COB_G90D	5907791190482
	100 cm	COB_G10D	5907791190499

linear drain
floor



FINISH	LENGTH	CODE	EAN
ROSE GOLD	50 cm	COB_850D	5907791190505
	60 cm	COB_860D	5907791190512
	70 cm	COB_870D	5907791190529
	80 cm	COB_880D	5907791190536
	90 cm	COB_890D	5907791190543
	100 cm	COB_810D	5907791190550

Did you know that...

When choosing a bathroom drain, you can make its installation easier for tile layer by selecting an adequate sloped profile. This additional element which can be cut according to own needs, will facilitate obtaining a necessary slope, required for water to drain, without having to cut tiles precisely and lay small pieces.



Seria Basso

NEW NEW NEW
NEW NEW NEW



material: stainless steel 304 + ABS

method of installation: wall-mounted floor linear drain

connection size: 50 mm

grate type: tile-in or full

trap cleaned from the top

sludge trap

trap protecting strainer – 2 szt.

levelling legs

possibility to install odour trap


hook for lifting the grate included

insulating mat included

linear drain
wall



FINISH	LENGTH	CODE	EAN
INOX	50 cm	COB_251D	5907791190628
	60 cm	COB_261D	5907791190635
	70 cm	COB_271D	5907791190642
	80 cm	COB_281D	5907791190659
	90 cm	COB_291D	5907791190666
	100 cm	COB_211D	5907791190673



linear drain
wall



FINISH	LENGTH	CODE	EAN
BLACK	50 cm	COB_751D	5907791190680
	60 cm	COB_761D	5907791190697
	70 cm	COB_771D	5907791190703
	80 cm	COB_781D	5907791190710
	90 cm	COB_791D	5907791190727
	100 cm	COB_711D	5907791190734

linear drain
wall



FINISH	LENGTH	CODE	EAN
GOLD	50 cm	COB_G51D	5907791190741
	60 cm	COB_G61D	5907791190758
	70 cm	COB_G71D	5907791190765
	80 cm	COB_G81D	5907791190772
	90 cm	COB_G91D	5907791190789
	100 cm	COB_G11D	5907791190796

linear drain
wall



FINISH	LENGTH	CODE	EAN
BLACK GLASS	50 cm	COB_751S	5907791190864
	60 cm	COB_761S	5907791190871
	70 cm	COB_771S	5907791190888
	80 cm	COB_781S	5907791190895
	90 cm	COB_791S	5907791190901
	100 cm	COB_711S	5907791190918

linear drain
wall



FINISH	LENGTH	CODE	EAN
ROSE GOLD	50 cm	COB_851D	5907791190802
	60 cm	COB_861D	5907791190819
	70 cm	COB_871D	5907791190826
	80 cm	COB_881D	5907791190833
	90 cm	COB_891D	5907791190840
	100 cm	COB_811D	5907791190857

Odour trap

NEW NEW NEW
NEW NEW NEW

odour trap
for linear drain

CODE: COT_004D
EAN: 5907791190925



material: plastic

odour trap for connection:
50 mm – for Basso drains

prevents unpleasant odours
from getting out of the sewers

for bathrooms with underfloor
heating

for bathrooms in which shower
is rarely used

possibility to install at any
moment when drain is used

Slim series

NEW NEW NEW
NEW NEW NEW
NEW NEW NEW



material: stainless steel 304

method of installation: floor-mounted

connection size: 40/50 mm

grate type: full

trap cleaned from the top

sludge trap

hook for lifting the grate included

insulating mat included

linear drain
floor



linear drain
floor



linear drain
floor



linear drain
floor




FINISH	LENGTH	CODE	EAN
INOX	50 cm	COS_250D	5907791145475
	60 cm	COS_260D	5907791145482
	70 cm	COS_270D	5907791145499
	80 cm	COS_280D	5907791145505
	90 cm	COS_290D	5907791145512
	100 cm	COS_210D	5907791145529

FINISH	LENGTH	CODE	EAN
BLACK	50 cm	COS_750D	5907791180742
	60 cm	COS_760D	5907791179265
	70 cm	COS_770D	5907791179272
	80 cm	COS_780D	5907791179289
	90 cm	COS_790D	5907791179708
	100 cm	COS_710D	5907791180735

FINISH	LENGTH	CODE	EAN
GOLD	50 cm	COS_G50D	5907791190208
	60 cm	COS_G60D	5907791190215
	70 cm	COS_G70D	5907791190222
	80 cm	COS_G80D	5907791190239
	90 cm	COS_G90D	5907791190246
	100 cm	COS_G10D	5907791190253

FINISH	LENGTH	CODE	EAN
ROSE GOLD	50 cm	COS_850D	5907791190260
	60 cm	COS_860D	5907791190277
	70 cm	COS_870D	5907791190284
	80 cm	COS_880D	5907791190291
	90 cm	COS_890D	5907791190307
	100 cm	COS_810D	5907791190314



Sloped profiles

NEW NEW NEW NEW NEW NEW

sloped profile
for linear drain



sloped profile
for linear drain



material: stainless steel 304

possibility to shorten by 5 cm to a length of 90 cm


material: stainless steel 304

possibility to shorten by 5 cm to a length of 90 cm

FINISH	LENGTH	CODE	EAN
INOX	LEFT 120 cm	COT_220L	5907791190932
	RIGHT 120 cm	COT_220P	5907791190949

FINISH	LENGTH	CODE	EAN
BLACK	LEFT 120 cm	COT_720L	5907791190956
	RIGHT 120 cm	COT_720P	5907791190963

Sloped profile facilitates installation of linear drain, including a required, safe slope of the floor, without having to lay small tile pieces.



Washbasins

Albano series

furniture washbasin
granite



FINISH: BEIGE
CODE: VGA1410T
EAN: 5907791169006



FINISH: GREY
CODE: VGA1510T
EAN: 5907791169013



FINISH: BLACK
CODE: VGA1710T
EAN: 5907791169020



ALBANO
washbasin

PRETTO
mixer



WHITE UNIFORM COLOUR / BLACK UNIFORM COLOUR / METALLIC BLACK
*additional finishes available upon request



material: granite


size: 600x440x122 mm

own production at Polish factory

designed by Maria Kubiak – Production Project Manager



Furniture model of granite washbasin means contemporary bathroom design which combines unique design and durable material. Granite can be characterized by strength and resistance to many factors. Capacious bowl with gently profiled edges will allow for a high comfort of use.



Amber series



countertop washbasin
granite




FINISH: BEIGE
CODE: VGR1421T
EAN: 5907791181794





FINISH: GREY
CODE: VGR1521T
EAN: 5907791181800




FINISH: BLACK
CODE: VGR1721T
EAN: 5907791181824



Décor on the outside of washbasin



WHITE UNIFORM COLOUR / BLACK UNIFORM COLOUR / METALLIC BLACK
*additional finishes available upon request



material: granite

size: Ø 410x135 mm

own production at Polish factory

designed by Maria Kubiak – Production Project Manager



Innovative use of granite and modern design enclosed in a round countertop washbasin. On the outside of the bowl, characteristic decorations are provided. Apart from aesthetic qualities, Amber washbasins ensure many resistance features thanks to the material which they are made of.

Pola series



countertop washbasin
steel



FINISH: BLACK
CODE: VUP_722S
EAN: 5907791166043



FINISH: ROSE GOLD
CODE: VUP_822S
EAN: 5907791166050




FINISH: GOLD
CODE: VUP_G22S
EAN: 5907791166067



material: stainless steel 304

size: 360x360x100 mm



Desna series

NEW NEW NEW NEW NEW

countertop washbasin
ceramic



FINISH: WHITE
CODE: VUD_6236
EAN: 5907791187611



material: ceramics
size: Ø 365x115 mm

countertop washbasin
ceramic



FINISH: WHITE
CODE: VUD_6241
EAN: 5907791187598



material: ceramics
size: 410x330x140 mm

countertop washbasin
ceramic



FINISH: WHITE
CODE: VUD_6250
EAN: 5907791187604



material: ceramics
size: 510x350x120 mm





countertop washbasin
ceramic



FINISH: WHITE
CODE: VUD_6251
EAN: 5907791187628



material: ceramics
size: 515x395x135 mm



Mogami series

NEW NEW NEW
NEW NEW NEW
NEW NEW NEW

countertop washbasin
ceramic



FINISH: BLACK/WHITE

CODE: VUM_7250
EAN: 5907791187635



EASY
CLEANING





EASY
ASSEMBLY

material: ceramics

size: 500x400x135 mm

Combination of classic white and modern matte black allows for easy matching of the washbasin with most arrangements.



Plugs

click-clack plug



FINISH: CHROME
CODE: CKK_02R3
EAN: 5907791164834



FINISH: WHITE
CODE: CKK_62R3
EAN: 5907791180889



FINISH: BLACK
CODE: CKK_72R3
EAN: 5907791164841



FINISH: ROSE GOLD
CODE: CKK_82R3
EAN: 5907791180896



FINISH: GRAPHITE
CODE: CKK_92R3
EAN: 5907791164858




FINISH: GOLD
CODE: CKK_G2R3
EAN: 5907791180902


material: brass

size: 63x70-110x63 mm

diameter: G 1 1/4"



Click-clack system allows to cut off water outflow quickly and comfortably with a touch of a finger. Model fitted with an extended sleeve which fits washbasins with and without overflow. Possibility to select according to fittings colour.



Did you know that...

When removing limescale from fittings on a regular basis, especially from hand showers and aerators, you can extend life of bathroom furnishing elements, and thus you give a small contribution to environmental-friendly measures.

To make limescale removal from hand showers easier, Laveo fit them with anti-calc system, and supply mixers with a special key for easy removal of aerator for cleaning from limescale.



Siphons

washbasin siphon round



FINISH: CHROME
CODE: CKS_061D
EAN: 5907791136473



FINISH: WHITE
CODE: CKS_661D
EAN: 5907791180728



FINISH: BLACK
CODE: CKS_761D
EAN: 5907791159236



FINISH: ROSE GOLD
CODE: CKS_861D
EAN: 5907791166074



FINISH: GRAPHITE
CODE: CKS_961D
EAN: 5907791159243




FINISH: GOLD
CODE: CKS_G61D
EAN: 5907791166081

material: metal

size: 50x130-220x361 mm

diameter: G 1¼" x 32mm

Possibility to select according to fittings colour.



Preparations

Preparation for cleaning granite sinks*



CODE: OKT_020T
EAN: 5907791155429

REMOVES:

dirt of food origin

grease

limescale

capacity 250 ml

Preparation for maintenance of granite sinks*



CODE: OKT_030T
EAN: 5907791155436

PROTECTS FROM:

dirt of food origin

grease

limescale

capacity 250 ml

Preparation for cleaning steel sinks*



CODE: OKT_040T
EAN: 5907791126337

REMOVES:

dirt of food origin

grease

limescale

residues of soap

capacity 250 ml



Did you know that...

Before you call a plumber it is worth trying some home methods to unclog blocked washbasin outlet. To do this, remove click-clack plug, pour ½ glass of soda, pour ½ glass of vinegar and stop the outlet with a cloth. As a result of chemical reaction, a foam should start to form, and after about 30 minutes pour the foam with boiling water.

*preparation suitable also for granite and steel washbasins

Sanitary ceramics

Desna series

toilet bowl
wall-hung rimless with toilet seat



FINISH: WHITE
CODE: VMD_600S
EAN: 5907791146779





material: ceramics

size: 370x485x320 mm

concealed installation

flush volume: 3/6 L

included: slim duroplast soft-close toilet seat with quick-release function; mounting kit for toilet bowl and seat



bidet
wall-hung



FINISH: WHITE
CODE: VBD_600C
EAN: 5907791174758





material: ceramics

size: 370x490x320 mm


with hole for mixer and concealed installation

included: mounting kit, chrome front panel for overflow



Akan series

concealed frame
for lightweight construction



CODE: VSA1058V
EAN: 5907791147745



Cistern made of durable impact PP copolymer – high resistance to impact and thermal shock.
To be complemented with Beni flush plates

material: metal, PP, styropor, PE

dimensions: width 525 mm; depth 100-175 mm; height 1150-1390 mm

flushing volume 3/6 L flushing volume (min. 2 L / 6,25 L, max. 3,25 L / 7,5 L)

type of control: mechanical

water connection at top right

frame made from powder-coated metal 30 × 40 mm profiles

3 positions of installation – parallel, perpendicular or corner

silent fill valve with brass connection end G 1/2"

for connection of wall-hung toilet bowl with 180 or 230 mm axis

load capacity up to 400 kg

included: support frame with height adjustment on galvanized frame feet, galvanized brackets with depth adjustment for lightweight construction, connecting elbow $\varnothing 90/90$ mm and adapter 110 mm, all necessary connections and mounting elements

Beni series



dual flush plate
for frame



FINISH: CHROME
CODE: VPB_095V
EAN: 5907791147752



FINISH: BLACK/GOLD
CODE: VPB_795G
EAN: 5907791182982



FINISH: BLACK
CODE: VPB_795V
EAN: 5907791182999




FINISH: GRAPHITE
CODE: VPB_995V
EAN: 5907791183002

material: ABS

size: 226x165x11 mm

type of control: mechanical

suitable for frame: AKAN



Akan series

NEW NEW NEW
NEW NEW NEW

concealed frame

for lightweight construction with flush plate



FINISH: CHROME
CODE: VSA_058V
EAN: 5907791147622



FINISH: BLACK/GOLD
CODE: VSA_758G
EAN: 5907791183019



FINISH: BLACK
CODE: VSA_758V
EAN: 5907791183026



FINISH: GRAPHITE
CODE: VSA_958V
EAN: 5907791183033

Cistern made of strong impact copolymer PP – high resistance to impact and thermal shock.



material: metal, PP, styropor, PE, ABS

dimensions: width 525mm; depth 100-175mm; height 1150-1390mm

flushing volume 3/6 L with adjustment (min. 2 L / 6,25 L, max. 3,25 L / 7,5 L)

type of control: mechanical

water connection at top right

frame made from powder-coated metal 30 × 40 mm profiles


3 positions of installation – parallel, perpendicular or corner

silent fill valve with brass connection end G 1/2"

for connection of wall-hung toilet bowl with 180 or 230 mm axis

load capacity up to 400 kg


included: Beni dual flush plate, support frame with height adjustment on galvanized frame feet, galvanized brackets with depth adjustment for lightweight construction, connecting elbow $\varnothing 90/90$ mm and adapter 110 mm, all necessary connections and mounting elements



Did you know that...

The following should not be thrown to the toilet: dental floss, paper towels, sanitary towels/tampons, cat litter, grease, cotton pads, hair, cigarettes, wound plasters.

Otherwise, as the Hydraulic Emergency Service suggest, you can clog the sewers. No medicines should be thrown to the toilet, either, due to a risk of contamination of ground water flora.



Akan & Desna series

concealed frame

Akan concealed frame with Beni flush plate + Desna toilet bowl with seat



FINISH: WHITE, CHROME

CODE: VMDA600S
EAN: 5907791147639



THE SET COMPRISES:

1. DESNA wall-hung rimless toilet bowl with toilet seat

finish: white

material: ceramics

size: 370x486x320 mm

concealed installation

flush volume: 3/6L

included: slim duroplast soft-close toilet seat with quick-release function;
mounting kit for toilet bowl and seat

2. AKAN concealed frame for lightweight construction

material: metal, PP, styropor, PE

dimensions: width 525 mm; depth 100-175 mm; height 1150-1390 mm

flushing volume 3/6 L with adjustment (min. 2 L / 6,25 L, max. 3,25 L / 7,5 L)

water connection at top right

frame made from powder-coated metal 30 × 40 mm profiles

3 positions of installation – parallel, perpendicular or corner

silent fill valve with brass connection end G 1/2"

load capacity up to 400kg

included: support frame with height adjustment on galvanized frame feet,
galvanized brackets with depth adjustment for lightweight construction,
connecting elbow Ø90/90 mm and adapter 110 mm, all necessary connections
and mounting elements

3. BENI dual flush plate for frame

material: ABS

finish: chrome

size: 226x165x11 mm

type of control: mechanical

Technical drawing
Desna bowl PAGE 247

Technical drawing
Akan frame PAGE 248

Technical drawing
Beni flush plate PAGE 249

Pictograms

/ key



POLISH PRODUCT

Marking of products which are completely made in Poland – from design to production.



DESIGNED PRODUCT

Models designed by members of Laveo design team.



GRANITE

Models made of granite, adequately selected mix of sand and resin, ensuring numerous resistance characteristics.



VARIETY OF COLOURS

Models available in various colour versions.



MOVABLE SPOUT

Spout enabling 360° rotation. Improves functionality of the mixer and allows to obtain a larger useful space.



CERAMIC SHOWER SWITCH

Rotary switch that – unlike pull-out switches – works regardless of water pressure. It is used for switching between spout/overhead rain shower and hand shower. Ceramics guarantees longer life.



BUTTON OPERATED SWITCH

Possibility to switch functions with use of a comfortable button provided on the mixer body or on hand showers.



CLICK-CLACK PLUG

Plug for closing and opening outflow of water from washbasin with a single push from the top.



THERMOSTATIC MIXER

Thermostatic cartridge allowing to set a constant water temperature. There is no need to look for an optimum setting of lever when using the shower each time, so you save time, energy and reduce water consumption. According to research, the most comfortable temperature for human body is 38°C.



COOL TOUCH

Mixer body not subjecting to heat. Even after setting the highest water temperature, surface of the mixer will remain cool. Guaranteed use safety for elderly people and children.



SENSOR MIXER

Model in which water stream is activated by bringing hands closer to a special sensor. The mixer is operated without hands. Product reducing water consumption.



START/STOP CARTRIDGE

Mixer opening and closing water flow with use of a button. Allows for mixer operation with one finger after a single press.



AUTOMATIC PLUG

Plug for closing and opening outflow of water from washbasin by pulling or pushing the string provided in the mixer body.




EASY ASSEMBLY

Special sleeve allowing for installation of mixer without having to use any tools. Possibility of quick installation on one's own, without an expert assistance.



SHOWER SET INCLUDED

Mixer with a set comprising shower hose, hand shower and hand shower bracket.



LENGTH OF BAR

Bar with a length of 70 cm ensuring wider range of height adjustment of hand shower bracket. Facilitation in showers which are used by adults and children of various height.



DOUBLE-KNOB MIXER TAP

Mixer in which two knobs are used for water temperature adjustment. Separate ones for cold and hot water.



CARTRIDGE WITH ROTATION ANGLE OF 90°

Movement range limited to 90° to enhance water adjustment and shorten the time required to set a desired temperature. Fitted in double-knob mixers.



WATER SAVING

Low flow class allowing for significant reduction of water consumption. Lower water consumption means reduced bills.



NEOPERL AERATOR

Spout end designed for increasing volume of water stream through its aeration. Reduction of water consumption.



ADJUSTABLE FITTING SPAN

Possibility to adjust fitting span allowing a shower to be installed in old holes left after the previous model.



ADJUSTABLE HEIGHT OF OVERHEAD RAIN SHOWER

Possibility to adjust a height at which overhead rain shower should be set, allowing to adjust a shower to the user's height.



RAIN STREAM

Basic stream which ensures optimum use of a shower for everyday bathing.



HYDROMASSAGE STREAM

Intensive stream allowing for effective relaxation of tense muscles. It also have a positive effect on suppleness of the whole body.



ANTI-LIMESCALE AERATOR

Aerator with a function for quick and comfortable removal of limescale left by hard water. Limescale removal is effected by precipitation from rubber protrusions when sliding them with a finger.



MOVABLE AERATOR

Aerator allowing to change water outflow angle. It gives a possibility to set the stream so water is not splashed to the sides, e.g. walls in shallow washbasins.



COIN SLOT AERATOR

Aerator with a crosswise slot for opening with use of a coin. Possibility to remove without having to use special tools.



FOLDABLE SPOUT

Swivel spout additionally being a switch for switching between shower set and mixer. After folding the stream is directed to shower hose, and after unfolding water runs from the spout.



CASCADE STREAM

Wide, constant stream being result of a special flattened shape of the spout.



SOFT STREAM

Gentle stream which is obtained by aerating water. Perfect for long and relaxing baths.



WATER SPRAY STREAM

The most gentle stream available in showers. Intended for washing face and gentle and irritated areas.



MIXED STREAM

Stream combining two water intensities – usually rain and hydromassage. Allows for use of two outflow types at once with an intermediate switch setting.

Pictograms / key



STOP FUNCTION

Possibility to stop water stream directly in hand shower without having to turn water off with use of mixer.



SELF-CLEANING

System removing limescale left by hard water with use of special needles provided in nozzles. Activated with a button provided on hand shower or overhead rain shower.



ANTI-CALC SYSTEM

Special silicone protrusions in hand showers and overhead rain showers which allow for limescale removal and ensure nozzle permeability. Just slide hand over them to remove limescale.



ANTI-TWIST SYSTEM

System preventing unaesthetic tangling of shower hose and facilitating putting hand shower back in the bracket.



HIGH LOAD CAPACITY

Frame is resistant to loads of up to 400 kg.



ALL CONNECTIONS INCLUDED

The set includes all elements necessary for installation. There is no need to buy separate parts.




PRODUCT WITH ATTESTATION

Model with attestation of the National Institute of Public Health. Confirmation of compliance with current safety standards (human health and natural environment).



RESISTANT TO THERMAL SHOCK

Material resistant to differential temperature between 0 and 90°C.



STRETCH

Flexible shower hose which can extend its original length by 20%.



RIMLESS TOILET BOWL

Toilet bowl in which the whole surface is enamelled. Easy to clean. No difficult-to-reach recesses in which dirt and bacteria could collect.




EASY CLEANING

Surface on which limescale left after hard water is hardly visible. Smooth texture facilitating cleaning.



CONCEALED BOX

Specialist casing ensuring free access to enclosed parts of mixer for their maintenance or possible replacement. Integrated mini-level facilitates correct installation of a mixer.



RESISTANT TO TEMPERATURES UP TO 190°

Material resistant to high temperature of up to 190°C.



IMPACT-RESISTANT

Material resistant to damages which can result after dropping small objects on the product from a low height.



SCRATCH-RESISTANT

Material resistant to scratches which can be caused during everyday use.



DISCOLOURATION-RESISTANT

Material on which, with correct use of the product, no permanent signs after discolourations remain.



EUROPEAN QUALITY OF CARTRIDGE

Models fitted with high quality cartridges supplied by the Spanish-based manufacturer QUORE. Standard compliant with European certification.



TOILET SEAT INCLUDED

Toilet bowl fitted with a soft-close toilet seat with quick release system.



SOFT CLOSE

Mechanism slowing down the falling of a toilet seat. Prevents loud banging when falling quickly.




QUICK RELEASE

Possibility to detach a toilet seat from a toilet bowl with use of a button. Facilitating thorough cleaning of a toilet seat and bowl.



LOW HOUSING (52, 58 MM)

Construction of linear drain allowing for installation in low floors, e.g. in flats.



QUICK WATER OVERFLOW (24, 50 L/MIN)

Construction of outlet and siphon ensuring quick draining of water from a shower to the sewers.



OUTLET 44

Standard diameter of an outlet allowing to install any washbasin plug.



SERVICE AT CUSTOMER'S LOCATION

Products covered by nation-wide service at customer's location. Applicable throughout the whole warranty period for a particular product.



FLUSH PLATE INCLUDED

Dual flush plate which allows to adjust water flush volume according to the needs.



SLIM FRAME

Thin construction of a frame with a depth of 100 to 175 mm, allowing for installation in small-sized bathrooms.



SILENT OPERATION

Noise resulting from filling of cistern is limited to 9dB thanks to water cistern soundproofing with expanded polystyrene.



ADJUSTABLE FLUSH VOLUME

Possibility to change flush volume between 2/6.26 L to 3.25/7.5 L with a knob located under the flush plate. Additional adjustment outside dual flush plate.



WARRANTY 2, 8, 10

Specification of warranty period for a particular product. For detailed warranty conditions for product components please refer to warranty cards of particular models.



