CATALOGUE

BATHROOM SHOWERS





Showers - columns



LAVEO TRENDY HOME DESIGN 211

Pola series

shower column

with mixer



FINISH: CHROME

CODE: PLA_OOKX
EAN: 5907791174307





CODE: PLA_80KX EAN: 5907791174321



CODE: PLA_GOKX EAN: 5907791174338








ADJUSTABLE RA
HEIGHT OF (C
OVERHEAD RAI
RAIN SHOWER

ANTI-CALC SYSTEM




ceramic cartridge: 35 mm

flow class: overhead rain shower $Z \le 12$ I/min, hand shower $Z \le 12$ I/min

type of hose: metal braided rubber

length of hose: 1500 mm

overhead rain shower size: 200x200 mm



Pretto series









shower column

with mixer



FINISH: CHROME CODE: PLP_000B EAN: 5907791162298





CODE: PLP_700B



FINISH: GRAPHITE CODE: PLP_100B EAN: 5907791162304



Shower column with brass wall mountings and hand shower bracket. Shower hose in silicone coating is exceptionally flexible, easy to clean and pleasant to touch. Hand shower is provided with a particularly gentle water spray stream.















material: brass, steel, plastic

ceramic cartridge: 30 mm

flow class: overhead rain shower S ≤ 20 l/min,


hand shower ZZ ≤ 7,2 I/min

type of hose: silicone coated rubber

length of hose: 1500 mm

overhead rain shower size: Ø250 mm

included: mounting elements



shower column

with thermostatic mixer







CODE: PLP_70TD EAN: 5907791162342



CODE: PLP_10TD EAN: 5907791162335

Shower column with brass wall mountings and hand shower bracket. Shower hose in silicone coating is exceptionally flexible, easy to clean and pleasant to touch. Hand shower is provided with a particularly gentle water spray stream.

Shower column fitted with a mixer with special thermostatic cartridge allows to set a desired water temperature, the same any time the stream is activated. It gives a possibility to set a desired constant water temperature, without a risk of burns. This solution is popular in flats occupied by elderly people and families with small children for safety reasons.


















material: brass, steel, plastic

thermostatic cartridge

flow class: overhead rain shower S ≤ 20 I/min, hand shower ZZ ≤ 7,2 I/min

type of hose: silicone coated rubber

length of hose: 1500 mm

overhead rain shower size: Ø250 mm

shower column





Shower column with brass wall mountings and hand shower bracket. Shower hose in silicone coating is exceptionally flexible, easy to clean and pleasant to $% \left(1\right) =\left(1\right) \left(1\right)$ touch. Hand shower is provided with a particularly gentle water spray stream. The column is fitted with elegant button operated function switch for switching between hand shower and overhead rain shower.


















material: brass, steel, plastic

flow class: rain shower Z \leq 12 l/min, hand shower ZZ \leq 7,2 l/min

type of hose: silicone coated rubber

length of hose: 1500 mm

overhead rain shower size: Ø250 mm





LAVEO TRENDY HOME DESIGN 217

Rubio series

The column is fitted with 3-step switch located behind the mixer lever. The switch allows to easily change water outflow between spout, overhead rain shower and hand shower.

shower column

with mixer



FINISH: WHITE/GOLD CODE: PVR_6GOB EAN: 5907791185457



CODE: PVR_7GOB EAN: 5907791185464











ANTI-TWIST SYSTEM

material: brass, steel, plastic


ceramic cartridge: 35 mm


flow class: spout S \leq 20 l/min, rain shower A \leq 15 l/min, hand shower Z \leq 12 l/min

type of hose: metal braided rubber

length of hose: 1500 mm

overhead rain shower size: Ø200 mm





Pinar series

shower column

with mixer



A switch with a minimalistic design, located in the shower column in an invisible place under the mixer, provides an easy access to function switching.











material: brass, steel, plastic

ceramic cartridge: 35 mm

flow class: overhead rain shower A ≤ 15 l/min,

hand shower Z ≤ 12 l/min

type of hose: metal braided rubber


length of hose: 1500 mm


overhead rain shower size: 261x191 mm


included: mounting elements



FINISH: BLACK CODE: PAW_70KB EAN: 5907791184696







Did you know that...

Temperature under a shower is important. Cold bath toughens up the body, improves blood circulation and skin appearance. Colder water does not dry the skin as much as hot water.





shower column

with mixer



Opening and closing of water outflow, with use of a start/stop cartridge, is effected with a button located on the right*. Decorated knob, with a special texture, facilitates operation even with wet hands and ensures temperature adjustment.

*Fittings started by button, possibility to adjust the intensity of water outflow with the function switch.











material: brass, steel, plastic

ceramic cartridge: 35 mm


flow class: rain shower Z ≤ 12 l/min, hand shower ZZ ≤ 7,2 l/min


type of hose: metal braided rubber

length of hose: 1500 mm

overhead rain shower size: Ø200 mm

included: mounting elements





Muro series



shower column

with mixer




CODE: PLU_700B EAN: 5907791167729

CODE: PLU_100B EAN: 5907791167712



ADJUSTABLE
HEIGHT OF
OVERHEAD
RAIN STREAM HYDROMASSAGE MIXED STREAM
(OVERHEAD
RAIN SHOWER, (HAND SHOWER)
HAND SHOWER,

HAND SHOWER)



ceramic cartridge: 35 mm


flow class: overhead rain shower A ≤ 15 l/min,

hand shower Z ≤ 12 I/min

type of hose: metal braided rubber

length of hose: 1500 mm

overhead rain shower size: Ø250 mm



Shower column fitted with a mixer with special thermostatic cartridge allows to set a desired water temperature, the same any time the **Kvadrato series**allows to set a desired water temperature, the same any time the stream is activated. It gives a possibility to set a desired constant water temperature, without a risk of burns. This solution is popular in flats occupied by elderly people and families with small children for safety

shower column



FINISH: CHROME CODE: PLQ_00TD EAN: 5907791143570









material: brass, steel, plastic

thermostatic cartridge


flow class: overhead rain shower S ≤ 20 I/min, hand shower ZZ ≤ 7,2 I/min

type of hose: metal braided rubber

length of hose: 1500 mm

overhead rain shower size: 250x250 mm

included: mounting elements



shower column



FINISH: CHROME CODE: PLQ_00KX EAN: 5907791109231


























material: brass, steel, plastic

flow class: rain shower Z ≤ 12 l/min, hand shower ZZ ≤ 7,2 I/min

type of hose: metal braided rubber

length of hose: 1500 mm

overhead rain shower size: 200x200 mm





Shower column fitted with a mixer with special thermostatic cartridge allows to set a desired water temperature, the same any time the

stream is activated. It gives a possibility to set a desired constant water temperature, without a risk of burns. This solution is popular in flats occupied by elderly people and families with small children for safety

\<u>L=150</u>0

225

elements

Zorita series

shower column

FINISH: WHITE/CHROME CODE: PLZ_60KX FINISH: BLACK/CHROME CODE: PLZ_70KX





ADJUSTABLE

(OVERHEAD STREAM (HAND SHOWER)
RAIN SHOWER, (HAND SHOWER)



material: brass, steel, plastic

flow class: rain shower Z ≤ 12 l/min, hand shower ZZ ≤ 7,2 I/min

type of hose: metal braided rubber

length of hose: 1500 mm

overhead rain shower size: 258x190 mm

included: mounting elements

shower column



FINISH: CHROME



Leste series

shower column

FINISH: CHROME

CODE: PL2_200B EAN: 5907791126160



FINISH: BLACK

CODE: PL2_700X EAN: 5907791169037

FINISH: CHROME CODE: PL2_200X


















material: brass, steel, plastic


flow class: overhead rain shower Z ≤ 12 I/min, hand shower Z ≤ 12 I/min


type of hose: metal braided rubber

length of hose: 1500 mm overhead rain shower size:

included: mounting elements, soap dish







material: brass, steel, plastic

flow class: overhead rain shower

type of hose: metal braided rubber

overhead rain shower size: Ø250 mm

A \leq 15 l/min, hand shower ZZ \leq 7,2 l/min

thermostatic cartridge

length of hose: 1500 mm



















Drop series

shower column







FINISH: BLACK

CODE: PL5_70KX EAN: 5907791168993

Cers series

shower column



FINISH: CHROME CODE: PL7_000X EAN: 5907791115287

overhead rain shower

size: 200x200 mm

included: mounting

elements, soap dish













material: brass, steel,

flow class: overhead rain shower Z ≤ 12 l/min, hand shower Z ≤ 12 l/min


type of hose: metal braided rubber

length of hose: 1500 mm

overhead rain shower size: Ø225 mm

included: mounting elements, holder for accessories


Column fitted with a functional and aesthetic two-sided holder for bathroom accessories.




Did you know that...

When turning your bathroom to a home SPA and preparing a bath with addition of natural ingredients such as petals of flowers, or leaves on your own, please note that they should not be scattered directly into the bathtub. Before such ingredients are immersed in water, they should be put in a cotton or mesh bag. This will facilitate cleaning after bathing and reduce a risk of clogging the outlet.









LAVEO TRENDY HOME DESIGN

Pola series

shower set

raiser rail








CODE: NAP_71A1 EAN: 5907791173423




CODE: NAP_81A1 EAN: 5907791173454



CODE: NAP_G1A1 EAN: 5907791173485













material: steel, plastic

flow class: Z ≤ 12 l/min

type of hose: metal braided rubber

length of hose: 1500 mm

Pretto series WZORZ















FINISH: CHROME CODE: NLP_01A2 EAN: 5907791147394





CODE: NLP_71A2 EAN: 5907791147417



CODE: NLP_11A2 EAN: 5907791147400



Riser rail shower set with brass wall mountings and hand shower bracket. Shower hose in silicone coating is exceptionally flexible, easy to clean and pleasant to touch. Hand shower is provided with a particularly gentle water spray stream.











material: brass, plastic

type of hose: silicone coated rubber

length of hose: 1500 mm

flow class: ZZ ≤ 7,2 I/min

included: mounting elements

Kvadrato series Fino series

shower set

raiser rail



FINISH: CHROME CODE: NLQ_01AD EAN: 5907791109224


















flow class: ZZ ≤ 7,2 l/min

type of hose: metal braided









RAIN STREAM WATER SPRAY MIXED STREAM (HAND SHOWER) STREAM (HAND SHOWER





rubber


length of hose: 1500 mm

included: mounting elements




shower set raiser rail












flow class: Z ≤ 12 l/min


type of hose: metal braided rubber


length of hose: 1500 mm













SHOWERS - RISAER RAIL SETS

Zorita series

shower set

raiser rail



FINISH: WHITE/CHROME

FINISH: BLACK/CHROME CODE: NLZ_71A1 EAN: 5907791164346



Water stream is changed with a button provided in hand shower.











ø22









HYDROMASSAGE MIXED STREAM ANTI-CALC STREAM (HAND SHOWER) SYSTEM (HAND SHOWER)

material: steel, plastic

flow class: ZZ ≤ 7,2 I/min

type of hose: metal braided rubber

length of hose: 1500 mm

included: mounting elements


Leste series

shower set

riser rail



FINISH: CHROME CODE: NLL_01A0 EAN: 5907791107091



LOW WATER (HAND SHOWER)



material: steel, plastic

flow class: ZZ ≤ 7,2 I/min

type of hose: metal braided rubber

length of hose: 1500 mm

included: mounting elements



shower set

Caris series

riser rail















material: steel, plastic


flow class: Z ≤ 12 l/min


type of hose: metal braided rubber


length of hose: 1500 mm


included: mounting elements,

soap dish












Showers - single-point sets



Pola series

shower set

single-point








REAM ANTI-CALC A

material: steel, plastic

flow class: Z \leq 12 l/min

type of hose: metal braided rubber

length of hose: 1500 mm











shower set single-point





FINISH: CHROME CODE: NLP_OOAD







CODE: NLP_10AD EAN: 5907791147370



Single-point shower set with brass wall mountings and hand shower bracket. Shower hose in silicone coating is exceptionally flexible, easy to clean and pleasant to touch. Hand shower is provided with a particularly gentle water spray stream.








material: brass, plastic

flow class: ZZ ≤ 7,2 I/min

type of hose: silicone coated rubber

length of hose: 1500 mm

included: mounting elements



Kvadrato series Fino series

shower set

single-point



CODE: NLQ_00AD EAN: 5907791175991

FINISH: CHROME



CODE: NLQ_70AD EAN: 5907791176004



shower set

single-point

CODE: NLF_OOAD



FINISH: BLACK CODE: NLF_70AD EAN: 5907791175977







LOW WATER RAIN STREAM WATER SPRAY
CONSUMPTION (HAND STREAM
(HAND SHOWER) SHOWER) (HAND SHOWER)















flow class: ZZ ≤ 7,2 I/min


material: steel, plastic


















material: steel, plastic


length of hose: 1500 mm
















LAVEO TRENDY HOME DESIGN

Zorita series

shower set single-point



CODE: NLZ_70AD EAN: 5907791164339 CODE: NLZ_60AD





shower set single-point



ZZ ≤ 7,2 I/min type of hose: metal

length of hose: 1500 mm

material: steel, plastic

flow class:

included: mounting




FINISH: WHITE/CHROME



CODE: NLL_60AD EAN: 5907791121684



length of hose: 1500 mm included: mounting elements












Hand shower with the so-called water spray function, will not only help to hydrate the skin but also provide a gentle massage, relaxing as many as 70 face muscles. Such beneficial face baths are invaluable for keeping young appearance of the skin and slowing down the ageing process.









240 LAVEO TRENDY HOME DESIGN

Fen series



shower set

bidetta

bathrooms in which there is no space for installation of a separate frame for bidet.



FINISH: CHROME CODE: NAF_01BD EAN: 5907791166166

Button operated water outflow control switch. A perfect solution for



length of hose: 1500 mm included: mounting elements



CODE: NAF_01PD EAN: 5907791176066

shower set

bidetta with switch

Button operated water outflow control switch. Bidetta set connected to washbasin mixer, with hose as a replacement of bidet in bathroom, in which there is no space for installation of a separate frame for bidet.



FINISH: CHROME


length of hose: 1500 mm included: mounting elements, switch

aerator

aerator size: M24*1 inside,

M22*1 outside


for connection of bidetta set













Showers – hand showers



LAVEO TRENDY HOME DESIGN 243

Pola series

hand shower









FINISH: CHROME CODE: NAP_OSAD EAN: 5907791173409

FINISH: BLACK CODE: NAP_7SAD EAN: 5907791173430

FINISH: ROSE GOLD CODE: NAP_8SAD EAN: 5907791173461


FINISH: GOLD CODE: NAP_GSAD EAN: 5907791173492





material: plastic

flow class: Z ≤ 12 I/min



Pretto series Wzórz 2019















FINISH: CHROME CODE: NLP_OSAD EAN: 5907791147332



CODE: NLP_7SAD EAN: 5907791147356



CODE: NLP_1SAD EAN: 5907791147349

Muro series



hand shower



CODE: NLU_OSAD EAN: 5907791168931



CODE: NLU_7SAD EAN: 5907791168955



CODE: NLU_1SAD EAN: 5907791168948

Hand shower is provided with a particularly gentle and effective water spray stream.








material: plastic

flow class: ZZ ≤ 7,2 l/min













material: plastic

flow class: Z ≤ 12 I/min





Kvadrato series Fino series

hand shower





WYKOŃCZENIE: CHROM KOD: NLQ_OSAD EAN: 5907791109217



WYKOŃCZENIE: CZARNE KOD: NLQ_7SAD EAN: 5907791175984





WYKOŃCZENIE: CHROM KOD: NLF_OSAD EAN: 5907791122056



WYKOŃCZENIE: CZARNE KOD: NLF_7SAD EAN: 5907791175960













LOW WATER RAIN STREAM WATER SPRAY MIXED STREAM (HAND SHOWER) (HAND SHOWER) (HAND SHOWER) material: plastic


flow class: ZZ ≤ 7,2 l/min

material: plastic

flow class: Z ≤ 12 l/min







Seria Zorita

hand shower



Water stream is changed with a button provided in hand shower.



FINISH: WHITE/CHROME CODE: NLZ_6SAD EAN: 5907791164322



FINISH: BLACK/CHROME CODE: NLZ_7SAD EAN: 5907791164353










RAIN STREAM HYDROMASSAGE MIXED STREAM
(HAND STREAM (HAND SHOWER)
SHOWER) (HAND SHOWER)

material: plastic

flow class: ZZ ≤ 7,2 l/min



Seria Leste

hand shower



FINISH: CHROME CODE: NLL_OSAD EAN: 5907791107084








material: plastic

flow class: ZZ ≤ 7,2 l/min



Cers series

hand shower



FINISH: CHROME CODE: NL7_OSAD EAN: 5907791130495


















material: plastic

flow class: Z ≤ 12 l/min



Tivano series

hand shower
















CODE: NLT_7SAD EAN: 5907791175717

material: plastic flow class: Z ≤ 12 l/min




Did you know that...

Shower gives many possibilities to take care of skin of the whole body. For instance, it is much comfortable to complete peeling of the whole body under a shower rather than in a bathtub. What is more, self-massage is possible under a shower, with use of variable hand shower streams. For this, it is worth choosing one with 3 or even 5 streams.





Hand shower brackets



Sno series

single-point bracket

suction

Kvadrato series

wall-mounted bracket

hand shower









FINISH: CHROME CODE: NLN 000D EAN: 5907791127389

FINISH: BLACK CODE: NLN 700D EAN: 5907791180711

FINISH: CHROME

CODE: CNQ_OOAD

EAN: 5907791158468

FINISH: BLACK

CODE: CNQ_70AD

EAN: 5907791158475



MAKSYMALNI OBCIAŻENIE

material: ABS

dimensions: 46x ø57

easy assembly





Installation requires no tools and drilling in wall.










material: ABS


dimensions: 70x40x90 mm

adjustable hand shower angle









Rondo series

wall-mounted bracket

hand shower




FINISH: CHROME CODE: CNX_00AD EAN: 5907791158482



FINISH: BLACK CODE: CNX_70AD EAN: 5907791158499








material: ABS

dimension: 65x35x100 mm

adjustable hand shower angle



Arno series

shower hose

stretch



FINISH: CHROME CODE: CRA_04PD EAN: 5907791124586



FINISH: GRAPHITE CODE: CRA_14PD EAN: 5907791168436



FINISH: WHITE CODE: CRA_64PD EAN: 5907791176677



FINISH: BLACK CODE: CRA_74PD EAN: 5907791168429



CODE: CRA_84PD EAN: 5907791168412



FINISH: GOLD CODE: CRA_G4PD EAN: 5907791168443





WIST CERE

type of hose: metal braided rubber

length of hose: 1500-1800 mm

connecting hose

from mixer to shower



FINISH: CHROME CODE: CRA_OPTD EAN: 5907791176684



FINISH: GRAPHITE CODE: CRA_1PTD EAN: 5907791176691



FINISH: WHITE CODE: CRA_6PTD EAN: 5907791176707



FINISH: BLACK CODE: CRA_7PTD EAN: 5907791176714



FINISH: ROSE GOLD CODE: CRA_8PTD EAN: 5907791176721



FINISH: GOLD CODE: CRA_GPTD EAN: 5907791176738

type of hose: metal braided rubber

length of hose: 700 mm

Pretto series Tanaro series

shower hose



shower hose



FINISH: BLACK CODE: CRP_74PD EAN: 5907791147318



FINISH: METALLIC GREY CODE: CRT_04PD EAN: 5907791127211







type of hose: silicone coated rubber

length of hose: 1500 mm





type of hose: PVC

length of hose: 1500 mm

Pictograms / key



POLISH

Marking of products which are completely made in Poland
– from design to production.



DESIGNED

Models designed by members of Laveo design team.



GRANITE

Models made of granite, adequately selected mix of sand and resin, ensuring numerous resistance characteristics.



VARIETY

Models available in various colour versions.



MOVABLE

Spout enabling 360° rotation. Improves functionality of the mixer and allows to obtain a larger useful



CERAMIC SHOWER SWITCH

Rotary switch that - unlike pull-out switches – works regardless of water pressure. It is used for switching between spout/overhead rain shower and hand shower. Ceramics guarantees longer life.



Possibility to switch functions with use of a comfortable button provided on the mixer body or on hand showers.



CLICK-CLACK

Plug for closing and opening outflow of water from washbasin with a single push from the top.



THERMOSTATIC

Thermostatic cartridge allowing to set a constant water temperature. There is no need to look for an optimum setting of lever when using the shower each time, so you save time, energy and reduce water consumption. According to research, the most comfortable temperature for human body is 38°C.



Mixer body not subjecting to heat. Even after setting the highest water temperature, surface of the mixer will remain cool. Guaranteed use safety for elderly people and children.





Model in which water stream is activated by bringing hands closer to a special sensor. The mixer is operated without hands. Product reducing water consumption.



START/STOP CARTRIDGE

Mixer opening and closing water flow with use of a button. Allows for mixer operation with one finger after a single press.



AUTOMATIC

Plug for closing and opening outflow of water from washbasin by pulling or pushing the string provided in the



ASSEMBLY

Special sleeve allowing for installation of mixer without having to use any tools. Possibility of quick installation on one's own, without an expert



SHOWER SET INCLUDED

Mixer with a set comprising shower hose, hand shower and hand shower bracket.



LENGTH

Bar with a length of 70 cm ensuring wider range of height adjustment of hand shower bracket. Facilitation in showers which are used by adults and children of various height.



DOUBLE-KNOB MIXER TAP

Mixer in which two knobs are used for water temperature adjustment. Separate ones for cold and hot



CARTRIDGE WITH ROTATION ANGLE OF 90°

Movement range limited to 90° to enhance water adjustment and shorten the time required to set a desired temperature. Fitted in double-knob mixers



WATER

Low flow class allowing for significant reduction of water consumption. Lower water consumption means reduced bills.



NEOPERL AERATOR

Spout end designed for increasing volume of water stream through its aeration. Reduction of water consumption.



ADJUSTABLE FITTING SPAN

Possibility to adjust fitting span allowing a shower to be installed in old holes left after the previous



ADJUSTABLE HEIGHT OF OVERHEAD RAIN SHOWER

Possibility to adjust a height at which overhead rain shower should be set, allowing to adjust a shower to the user's height.



STREAM

Basic stream which ensures optimum use of a shower for everyday bathing.



HYDROMASSAGE STREAM

Intensive stream allowing for effective relaxation of tense muscles. It also have a positive effect on suppleness of the whole



ANTI-LIMESCALE

Aerator with a function for quick and comfortable removal of limescale left by hard water. Limescale removal is effected by precipitation from rubber protrusions when sliding them with a finger.



Aerator allowing to change water outflow angle. It gives a possibility to set the stream so water is not solashed to the sides, e.g. walls in shallow washbasins.



Aerator with a crosswise slot for opening with use of a coin. Possibility to remove without having to use special



FOLDABLE

Swivel spout additionally being a switch for switching between shower set and mixer. After folding the stream is directed to shower hose, and after unfolding water runs from the spout.



Wide, constant stream being result of a special flattened shape of the spout.



SOFT STREAM

Gentle stream which is obtained by aerating water. Perfect for long and relaxing baths.



SPRAY STREAM

The most gentle stream available in showers. Intended for washing face and gentle and irritated areas.



Stream combining two water intensities – usually rain and hydromassage. Allows for use of two outflow types at once with an intermediate switch

Pictograms / key



STOP FUNCTION

Possibility to stop water stream directly in hand shower without having to turn water off with use of mixer



SELF-CLEANING

System removing limescale left by hard water with use of special needles provided in nozzles. Activated with a button provided on hand shower or overhead rain shower.



ANTI-CALC

Special silicone protrusions in hand showers and overhead rain showers which allow for limescale removal and ensure nozzle permeability. Just slide hand over them to remove limescale.



ANTI-TWIST

System preventing unaesthetic tangling of shower hose and facilitating putting hand shower back in the bracket.



HIGH LOAD CAPACITY

Frame is resistant to loads of up



ALL CONNECTIONS INCLUDED

The set includes all elements necessary for installation. There is no need to buy separate parts.



PRODUCT WITH ATTESTATIO

Model with attestation of the National Institute of Public Health. Confirmation of compliance with current safety standards (human health and natural environment).



RESISTANT

Material resistant to differential temperature between 0 and 90°C.



STRETCH

Flexible shower hose which can extend its original length by 20%.



RIMLESS TOILET BOWL

Toilet bowl in which the whole surface is enamelled. Easy to clean. No difficult-to-reach recesses in which dirt and bacteria could collect.



EASY

sce Surface on which limescale left after hard water is hardly visible. Smooth texture facilitating cleaning.



CONCEALED

Specialist casing ensuring free access to enclosed parts of mixer for their maintenance or possible replacement. Integrated mini-level facilitates correct installation of a mixer.



RESISTANT TO TEMPERATURES UP TO 190°

Material resistant to high temperature of up to 190°C.



IMPACT-RESISTANT

Material resistant to damages which can result after dropping small objects on the product from a low height.



SCRATCH-RESISTANT

Material resistant to scratches which can be caused during everyday use.



DISCOLOURATION-RESISTANT

Material on which, with correct use of the product, no permanent signs after discolourations remain.



EUROPEAN QUALITY OF CARTRIDGE

Models fitted with high quality cartridges supplied by the Spanish -based manufacturer QUORE. Standard compliant with European certification.



TOILET SEAT

Toilet bowl fitted with a soft-close toilet seat with quick release system.



CLOSE

Mechanism slowing down the falling of a toilet seat. Prevents loud banging when falling quickly.



RELEASE

Possibility to detach a toilet seat from a toilet bowl with use of a button. Facilitating thorough cleaning of a toilet seat and bowl.



58 mm

LOW HOUSING (52, 58 MM)

Construction of linear drain allowing for installation in low floors, e.g. in flats.



QUICK WATER OVERFLOW (24, 50 L/MIN)

Construction of outlet and siphon ensuring quick draining of water from a shower to the sewers.



OUTLET 44

Standard diameter of an outlet allowing to install any washbasin



SERVICE AT CUSTOMER'S LOCATION

Products covered by nation-wide service at customer's location. Applicable throughout the whole warranty period for a particular



INCLUDED

Dual flush plate which allows to adjust water flush volume according to the needs.



SLIM FRAME

Thin construction of a frame with a depth of 100 to 175 mm, allowing for installation in small-sized bathrooms.



SILENT OPERATION

Noise resulting from filling of cistern is limited to 9dB thanks to water cistern soundproofing with expanded polystyrene.



ADJUSTABLE

Possibility to change flush volume between 2/6.26 L to 3.25/7.5 L with a knob located under the flush plate. Additional adjustment outside dual flush olate.





10*


WARRANTY

Specification of warranty period for a particular product. For detailed warranty conditions for product components please refer to warranty cards of particular models.



286 LAVEO TRENDY HOME DESIGN

Notes





www.laveo.pl

bok@laveo.pl

PHONES

+48 42 715 40 53 +48 42 715 40 56 +48 42 715 41 33 +48 42 715 41 34 +48 42 715 41 87 +48 42 639 74 99